



# ITTEST

QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

**Exam** : **000-876**

**Title** : IBM Tiboli Access Manager  
for e-Business V6  
Implementation

**Version** : DEMO

**1.Administrators are trying to access junction resources and they are denied access between midnight and 8AM. Which step will allow only these administrators access during these hours?**

- A.Replace the POP on the junction resources and remove the time of day range.
- B.Update the WebSEAL configuration file to allow administrator access to back-end Web servers.
- C.Place the administrators in a group, and give that group B permission on an ACL attached to the junction resources.
- D.Place the administrators in a group, and place that group into a second POP attached to the junction resources that allows them access during these hours.

**Correct:C**

**2.Customer XYZ has multiple Microsoft IIS servers in its DMZ. For business and technical reasons, they are unable to install a reverse proxy within the DMZ. Which IBM Tivoli Access Manager for e-business (TAMeb) component would address this requirement?**

- A.TAMeb WebSEAL
- B.TAMeb policy proxy server
- C.TAMeb plug-in for Web servers
- D.TAMeb session management server

**Correct:C**

**3.What is one key item to enable sharing a session between different replica sets in the same session realm?**

- A.The session configuration parameters must be identical.
- B.The security servers must all be in the same DNS domain.
- C.The sessions must be established simultaneously from the first login.
- D.The session key of the first session must be identical to the replica server.

**Correct:B**

**4.Which utility is used to restore critical IBM Tivoli Access Manager for e-business data?**

- A.pdmgr
- B.pdadmin
- C.pdbackup
- D.pdrestore

**Correct:C**

**5.What junction option is used to specify the FSSO configuration file?**

- A.-F config-file-path
- B.-J config-file-path
- C.-S config-file-path
- D.-T config-file-path

**Correct:C**

**6.What functionality does external authentication interface (EAI) provide that can not be done with external authentication C API?**

- A.ability to authenticate the user with a custom token
- B.ability to generate custom user credentials for a given user
- C.ability to interact with the end user to request additional information
- D.ability to do a write make calls to a centrally managed authorization service

**Correct:C**

**7.Which IBM Tivoli Access Manager for e-business package must be installed on a machine that is**

**running the Administration API?**

- A.ADK
- B.policy server
- C.runtime services
- D.Web Portal Manager

**Correct:C**

**8.Which command is used to refresh the IBM Tivoli Access Manager for e-business object namespace identified using dynamic URL capability?**

- A.server task dynurl update
- B.server task dynurl refresh
- C.server task update namespace
- D.There is no command. Modification of the configuration file is all that is needed.

**Correct:A**

**9.For an ACL attached to a WebSEAL junction, which entry allows group eng to execute a CGI program on the junctioned server?**

- A.user eng Tx
- B.user eng Tc
- C.group eng Tr
- D.group eng Tl

**Correct:C**

**10.What is the correct command to re-enable user account, usera, which has been locked out due to a 3 strikes violation?**

- A.user modify usera lock-out no
- B.user modify usera account-valid yes
- C.user modify usera account lock-out no
- D.user modify usera account-valid unlock

**Correct:B**

**11.Which attribute is defined in a POP?**

- A.iv-user
- B.iv-cred
- C.user and group names
- D.IP address/authentication method

**Correct:D**

**12.What has to be set to change IBM Tivoli Access Manager for e-business (TAMeb) audit level?**

- A.audit serviceability option in the TAMeb routing file
- B.logaudit=yes in the auditing-configuration stanza of iv.conf file
- C.POP audit level attribute using the pdadmin pop modify command
- D.Web Portal Manager audit tab value to specify one of the three audit levels - permit, deny, error

**Correct:C**

**13.Which WebSEAL configuration option will ensure that an initial request is routed to the correct junctioned Web server, even if the junction is missing from the URL?**

- A.URL redirect
- B.URL rewriting
- C.-j junction option

D.a junction mapping table association

**Correct:D**

**14.Given the default IBM Tivoli Access Manager for e-business password policy, which password is valid?**

A.tiVoli1

B.t1v0l199

C.tiVoli-999

D.t1vol1--99

**Correct:D**

**15.What directory contains CARS installation error logs?**

A./var/cars/log

B./opt/cars/event/logs

C./var/PolicyDirector/log

D./opt/IBM/Tivoli/CommonAudit/server/logs

**Correct:D**

**16.When accessing the default WebSEAL root over SSL after an install, what is displayed after a successful authentication?**

A.IBM HTTP Server welcome page

B.Web Portal Manager junction creation panel

C.IBM Tivoli Access Manager for e-business logo

D.error message stating that the user is Forbidden

**Correct:C**

**17.Which command will restore all WebSEAL files from BACKUP\_FILE?**

A.pdbackup -action restore -file BACKUP\_FILE

B.pdrestore -action verify -file BACKUP\_FILE

C.pdweb WEBSEAL\_INSTANCE -restore BACKUP\_FILE

D.pdadmin server task WEBSEAL\_INSTANCE restore ile BACKUP\_FILE

**Correct:A**

**18.Which command is used to map user sean to resource mozart for SSO?**

A.rsrccreate add sean rsrcname mozart

B.rsrccreate create mozart\_group add sean rsrcname mozart

C.rsrccred add mozart rsrctype mozart\_group set -rsrcuser sean

D.rsrccred create mozart rsrcuser mozart\_user rsrcpwd mozart\_password rsrctype web user sean

**Correct:D**

**19.What is the correct syntax for creating a transparent path junction on the default WebSEAL instance to proxy the remote directory of /docs/html on the web.ibm.com host?**

A.server task default-webseald-webseal01.ibm.com create -t tcp -h web.ibm.com -x /docs

B.server task default-webseald-webseal01.ibm.com create -t tcp -h web.ibm.com -T /docs

C.server task default-webseald-webseal01.ibm.com create -t tcp -h web.ibm.com -x /docs/html

D.server task default-webseald-webseal01.ibm.com create -t tcp -h web.ibm.com -T /docs/html

**Correct:C**

**20.How are IBM Tivoli Access Manager for e-business users and groups logically separated within a single policy server?**

A.by creating multiple object spaces

- B.by installing multiple user registries
- C.by creating multiple secure domains
- D.by installing multiple policy proxy servers

**Correct:C**