



ITTEST

QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

Exam : 000-876

**Title : IBM Tiboli Access Manager
for e-Business V6
Implementation**

Version : DEMO

1.Administrators are trying to access junction resources and they are denied access between midnight and 8AM. Which step will allow only these administrators access during these hours?

- A.Replace the POP on the junction resources and remove the time of day range.
- B.Update the WebSEAL configuration file to allow administrator access to back-end Web servers.
- C.Place the administrators in a group, and give that group B permission on an ACL attached to the junction resources.
- D.Place the administrators in a group, and place that group into a second POP attached to the junction resources that allows them access during these hours.

Correct:C

2.Customer XYZ has multiple Microsoft IIS servers in its DMZ. For business and technical reasons, they are unable to install a reverse proxy within the DMZ. Which IBM Tivoli Access Manager for e-business (TAMeb) component would address this requirement?

- A.TAMeb WebSEAL
- B.TAMeb policy proxy server
- C.TAMeb plug-in for Web servers
- D.TAMeb session management server

Correct:C

3.What is one key item to enable sharing a session between different replica sets in the same session realm?

- A.The session configuration parameters must be identical.
- B.The security servers must all be in the same DNS domain.
- C.The sessions must be established simultaneously from the first login.
- D.The session key of the first session must be identical to the replica server.

Correct:B

4.Which utility is used to restore critical IBM Tivoli Access Manager for e-business data?

- A.pdmgr
- B.pdadmin
- C.pdbbackup
- D.pdrestore

Correct:C

5.What junction option is used to specify the FSSO configuration file?

- A.-F config-file-path
- B.-J config-file-path
- C.-S config-file-path
- D.-T config-file-path

Correct:C

6.What functionality does external authentication interface (EAI) provide that can not be done with external authentication C API?

- A.ability to authenticate the user with a custom token
- B.ability to generate custom user credentials for a given user
- C.ability to interact with the end user to request additional information
- D.ability to do a write make calls to a centrally managed authorization service

Correct:C

7.Which IBM Tivoli Access Manager for e-business package must be installed on a machine that is

running the Administration API?

- A.ADK
- B.policy server
- C.runtime services
- D.Web Portal Manager

Correct:C

8.Which command is used to refresh the IBM Tivoli Access Manager for e-business object namespace identified using dynamic URL capability?

- A.server task dynurl update
- B.server task dynurl refresh
- C.server task update namespace
- D.There is no command. Modification of the configuration file is all that is needed.

Correct:A

9.For an ACL attached to a WebSEAL junction, which entry allows group eng to execute a CGI program on the junctioned server?

- A.user eng Tx
- B.user eng Tc
- C.group eng Tr
- D.group eng Tl

Correct:C

10.What is the correct command to re-enable user account, usera, which has been locked out due to a 3 strikes violation?

- A.user modify usera lock-out no
- B.user modify usera account-valid yes
- C.user modify usera account lock-out no
- D.user modify usera account-valid unlock

Correct:B

11.Which attribute is defined in a POP?

- A.iv-user
- B.iv-cred
- C.user and group names
- D.IP address/authentication method

Correct:D

12.What has to be set to change IBM Tivoli Access Manager for e-business (TAMeb) audit level?

- A.audit serviceability option in the TAMeb routing file
- B.logaudit=yes in the auditing-configuration stanza of iv.conf file
- C.POP audit level attribute using the pdadmin pop modify command
- D.Web Portal Manager audit tab value to specify one of the three audit levels - permit, deny, error

Correct:C

13.Which WebSEAL configuration option will ensure that an initial request is routed to the correct junctioned Web server, even if the junction is missing from the URL?

- A.URL redirect
- B.URL rewriting
- C.-j junction option

D.a junction mapping table association

Correct:D

14.Given the default IBM Tivoli Access Manager for e-business password policy, which password is valid?

A.tiVoli1

B.t1v0l199

C.tiVoli-999

D.t1vol1--99

Correct:D

15.What directory contains CARS installation error logs?

A./var/cars/log

B./opt/cars/event/logs

C./var/PolicyDirector/log

D./opt/IBM/Tivoli/CommonAudit/server/logs

Correct:D

16.When accessing the default WebSEAL root over SSL after an install, what is displayed after a successful authentication?

A.IBM HTTP Server welcome page

B.Web Portal Manager junction creation panel

C.IBM Tivoli Access Manager for e-business logo

D.error message stating that the user is Forbidden

Correct:C

17.Which command will restore all WebSEAL files from BACKUP_FILE?

A.pdbbackup -action restore -file BACKUP_FILE

B.pdrestore -action verify -file BACKUP_FILE

C.pdweb WEBSEAL_INSTANCE -restore BACKUP_FILE

D.pdadmin server task WEBSEAL_INSTANCE restore ile BACKUP_FILE

Correct:A

18.Which command is used to map user sean to resource mozart for SSO?

A.rsrccreate add sean rsrcname mozart

B.rsrccreate create mozart_group add sean rsrcname mozart

C.rsrccred add mozart rsrc type mozart_group set -rsrcuser sean

D.rsrccred create mozart rsrcuser mozart_user rsrcpwd mozart_password rsrc type web user sean

Correct:D

19.What is the correct syntax for creating a transparent path junction on the default WebSEAL instance to proxy the remote directory of /docs/html on the web.ibm.com host?

A.server task default-webseald-webseal01.ibm.com create -t tcp -h web.ibm.com -x /docs

B.server task default-webseald-webseal01.ibm.com create -t tcp -h web.ibm.com -T /docs

C.server task default-webseald-webseal01.ibm.com create -t tcp -h web.ibm.com -x /docs/html

D.server task default-webseald-webseal01.ibm.com create -t tcp -h web.ibm.com -T /docs/html

Correct:C

20.How are IBM Tivoli Access Manager for e-business users and groups logically separated within a single policy server?

A.by creating multiple object spaces

- B.by installing multiple user registries
- C.by creating multiple secure domains
- D.by installing multiple policy proxy servers

Correct:C