



# ITTEST

QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

**Exam** : **190-513**

**Title** : Lotus Using JavaScript in  
Domino R5 Applications

**Version** : DEMO

**1. Danielle has written the following function, which appears in the JS Header of the ShipTo form. function getkeyval() { } It opens when the client clicks on the Alternate Ship To address in the Video Order form. The ShipTo form appears in a smaller window allowing the user to select a different ShipTo address for the current order. Which one of the following best describes how to trigger the function in the ShipTo form and then close the open window?**

- A. In the OnChange event of the ShipToAddress field, enter "getkeyval()".
- B. Choose Create>Hotspot>Link Hotspot. Select the HTML tab, and enter the following in the Other field: onClick="getkeyval()"
- C. Choose Create>Hotspot>Link Hotspot. Select the HTML tab, and enter the following in the Class field: onClick="getkeyval()"
- D. Create a close link on the form using passthru HTML as follows:

```
«a href="#" onClick="getkeyval(); window.close()">Close
```

**Correct:D**

**2. Which one of the following would Jim do to set up a global variable that will hold the initial value of a field on the page?**

- A. Declare and set the variable in the onClick event of the field.
- B. Declare and set the variable in the JS Header event of the form.
- C. Declare the variable in the JS Header event of the form and set the value in the onClick event of the field.
- D. Declare the variable in the JS Header event of the form and set the variable in the onLoad event of the form.

**Correct:D**

**3. When a user clicks on a button and a new window is opened, which one of the following properties refers to the parent window that has generated the new window?**

- A. window.top
- B. window.self
- C. window.opener
- D. window.parent

**Correct:C**

**4. Phil has some JavaScript code that he wants to add to a new form he is designing. In R4.6, he would have put this code in a field named \$\$HTMLHEAD. In which one of the following should he put it using the R5 Designer?**

- A. In the same place
- B. In a field named \$\$JSHEADER
- C. In the JS Header event of the Form object
- D. In the HTML Head Content section of the Form object

**Correct:C**

**5. Look at the following JavaScript code: var textvalue = "This video stars Steve M..."; Which one of the following code lines will return the index of the first occurrence of the substring "Steve"?**

- A. indexOf ("Steve");
- B. textvalue.mid("Steve");

- C.textvalue.indexOf ("Steve");
- D.textvalue.substring ("Steve");

**Correct:C**

**6.Look at the following button code: var x = 42; x = "this is a string"; alert ("The value of x is " + x); Which one of the following will happen when this code is run?**

- A.A "Type Mismatch" error will occur when the button is clicked.
- B.A run-time JavaScript error will occur when the button is clicked.
- C.The Domino Designer will not save the form since there is an error.
- D.An alert will appear with the message "The value of x is this is a string".

**Correct:D**

**7.Marjorie created the following JavaScript code segment to check whether data had been entered into a required field: var frm=document.forms[0]; if(frm.LastName.value "") Which one of the following operators should she have used for the ?**

- A.=
- B.==
- C.:=
- D.is

**Correct:B**

**8.Harvey has three numeric, editable fields on his form: unitprice, quantity, and total. He wants to have a button to compute the total. So far he has written: theForm = document.forms[0]; theForm.total.value = theForm.quantity.value + theForm.unitprice.value; Which one of the following will happen when the user enters 10 in the unitprice field and 30 in the quantity field and the button is pressed?**

- A.A JavaScript error will occur.
- B.300 will be placed in the total field.
- C.3010 will be placed in the total field.
- D.The Domino Designer will not let Harvey save the form since the above code has an error.

**Correct:C**

**9.Bahar is creating a form that will open a new window with a location object. Which one of the following describes the location object?**

- A.It contains the URL of a hypertext link.
- B.It is an object under the history object.
- C.It is an object under the document object.
- D.It contains the URL of the current document.

**Correct:D**

**10.Look at the following JavaScript function: function clickButton { document.forms[0].submitMe.onClick( ) } Which one of the following will this function do?**

- A.Run a global JavaScript function named onClick( ).
- B.Run the onClick event of an object named submitMe.
- C.Place the cursor in an input on the form named submitMe.
- D.Run a JavaScript function named onClick( ) that is on a form object named submitMe.

**Correct:B**

