



# ITTEST

QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

**Exam** : **499-01**

**Title** : Riverbed Certified Solutions  
Professional – Application  
Performance Management

**Version** : Demo

## 1. Topic 1, AppInternals Xpert

What is the maximum number of transactions stored by Transaction Trace Warehouse (TTW)?

- A. Infinite
- B. 1 billion
- C. Last 3 years' worth
- D. Infinite, but dependent on disk size
- E. Last years' worth
- F. Previous weeks' worth

**Answer: D**

2. With AppInternals Xpert, how are SQL queries captured?

- A. An agent installed on the database
- B. AppResponse Xpert Appliance capturing traffic
- C. Agent installed on application server
- D. Agent installed on web server

**Answer: C**

3. How do you control the overhead of AppInternals Xpert agents?

- A. Install agents on a limited number of machines.
- B. Restart the server.
- C. Agents self tune so there is no need to control the overhead.
- D. Never install more than 5 agents.
- E. Use multiple consoles.
- F. Unplug the server.

**Answer: C**

4. What is the most recommended network time protocol (NTP) configuration for AppInternal Xpert?

- A. Managed nodes use the embedded client and synchronize with a common server.
- B. Managed nodes use the embedded NTP client and synchronize with symmetric multiprocessing (SMP).
- C. Managed nodes use their own NTP client.
- D. No specific NTP configuration is needed, as AppInternal Xpert could handle the correct timing by itself.

**Answer: B**

5. How should you instrument a Java application when a command line to start the application is not readily accessible?

- A. This is not feasible currently.
- B. Recompile or modify the code.
- C. Set the JAVA\_TOOL\_OPTIONS environment variable to add the argument into the application start up.
- D. We should not instrument applications that use embedded virtual machines.

**Answer: C**