



# ITTEST

QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

**Exam** : **644-906**

**Title** : Implementing and  
Maintaining Cisco  
Technologies

**Version** : Demo

1.Refer to the show environmental power-supply command output exhibit.

R/S/I	Modules	Capacity (W)	Status
0/PM0/*	host PM	3000	Ok
0/PM1/*	host PM	3000	Ok
0/PM2/*	host PM	0	Unpowered

  

R/S/I	Power Draw (W)	Voltage (V)	Current (A)
0/PM0/*	270.5	54.1	5.0
0/PM1/*	392.5	54.5	7.2
0/PM2/*	0.0	0.0	0.0

-----  
 Total: 663.0

Power Budget Summary for Rack 0  
 -----

Power Shelves Type: AC  
 Total Power Capacity: 6000W  
 Usable Power Capacity: 6000W  
 Supply Failure Protected Capacity: 3000W  
 Worst Case Power Used: 1850W

Slot	Max Watts
0/RSP0/CPU0	235
0/RSP1/CPU0	235 (default)
0/2/CPU0	630
0/FT0/SP	375
0/FT1/SP	375

Worst Case Power Available: 4150W  
 Supply Protected Capacity Available: 1150W

How much power is the system currently using?

- A. 663 W
- B. 1150 W
- C. 1850 W
- D. 6000 W

**Answer: A**

2.Refer to the show environmental power-supply command output exhibit.

R/S/I	Modules	Capacity (W)	Status
0/PM0/*	host PM	3000	Ok
0/PM1/*	host PM	3000	Ok
0/PM2/*	host PM	0	Unpowered

  

R/S/I	Power Draw (W)	Voltage (V)	Current (A)
0/PM0/*	270.5	54.1	5.0
0/PM1/*	392.5	54.5	7.2
0/PM2/*	0.0	0.0	0.0

-----  
Total: 663.0

Power Budget Summary for Rack 0  
-----

Power Shelves Type: AC  
Total Power Capacity: 6000W  
Usable Power Capacity: 6000W  
Supply Failure Protected Capacity: 3000W  
Worst Case Power Used: 1850W

Slot	Max Watts
0/RSP0/CPU0	235
0/RSP1/CPU0	235 (default)
0/2/CPU0	630
0/FT0/SP	375
0/FT1/SP	375

Worst Case Power Available: 4150W  
Supply Protected Capacity Available: 1150W

How many additional line cards of the same type that are currently in the system can you safely install and remain redundant in the worse power usage if there is a power supply failure?

- A. 1
- B. 2
- C. 3
- D. 4
- E. 5

**Answer: A**

3.What is the maximum long-term normal operating temperature of the Cisco CRS-1, ASR 9000 Series Routers, and XR 12000 Series Routers?

- A. 40C (104F)
- B. 50C (122F)
- C. 55C (131F)
- D. 65C (149F)

**Answer: A**