



# ITTEST

QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

**Exam** : **650-155**

**Title** : ISIWS Cisco IronPort  
Security Instructor – Web  
Security

**Version** : Demo

1.Which of the following commands is used to view the cache hit rate? Select exactly 1 answer(s) from the following:

- A. proxystat
- B. proxyconfig
- C. advancedproxyconfig
- D. webcache

**Answer:** A

2.DRAG DROP

Match the HTTP response code with the meaning or use.?

<input type="button" value="Select"/> <input type="button" value="Deselect"/>	401
<input type="button" value="Select"/> <input type="button" value="Deselect"/>	403
<input type="button" value="Select"/> <input type="button" value="Deselect"/>	404
<input type="button" value="Select"/> <input type="button" value="Deselect"/>	407

**Answer:**

The screenshot shows a matching exercise interface. At the top, there are four yellow boxes with text, each enclosed in a red border. Below these boxes are four input fields, each containing a number and a 'Select' button with a magnifying glass icon and a 'Deselect' button with a red 'X' icon. The numbers in the input fields are 401, 403, 404, and 407, and each number is enclosed in a green border.

used when the	403	A returns EUNs
proxy auth	407	ation request
web server au	401	cation request
page	404	found

Select	Deselect	401
Select	Deselect	403
Select	Deselect	404
Select	Deselect	407

3.Which of the following S-Series CLI commands can help troubleshoot WCCP?

Select exactly 1 answer(s) from the following:

- A. weep debug enable
- B. tail proxylogs
- C. tail accesslogs
- D. show weep

**Answer: B**

4.DRAG DROP

Match the port number to the use on the S-Series.

<p>This port is used for an HTTP connection to the administrative interface.</p> <p>Traffic from the client to this port will be handled by the HTTP proxy.</p> <p>Traffic from the client to this port will be handled by the HTTPS proxy.</p> <p>This port is used for an HTTPS connection to the administrative interface.</p>	
<input type="checkbox"/> Select <input checked="" type="checkbox"/> Deselect	80
<input type="checkbox"/> Select <input checked="" type="checkbox"/> Deselect	443
<input type="checkbox"/> Select <input checked="" type="checkbox"/> Deselect	8080
<input type="checkbox"/> Select <input checked="" type="checkbox"/> Deselect	8443

**Answer:**

<p>This port is used for an HTTP connection to the administrative interface.</p> <p>Traffic from the client to this port will be handled by the HTTP proxy.</p> <p>Traffic from the client to this port will be handled by the HTTPS proxy.</p> <p>This port is used for an HTTPS connection to the administrative interface.</p>	
<input type="checkbox"/> Select <input checked="" type="checkbox"/> Deselect	80
<input type="checkbox"/> Select <input checked="" type="checkbox"/> Deselect	443
<input type="checkbox"/> Select <input checked="" type="checkbox"/> Deselect	8080
<input type="checkbox"/> Select <input checked="" type="checkbox"/> Deselect	8443

5. Which of the following is a draw-back in using McAfee heuristic scanning?

Select exactly 1 answer(s) from the following:

- A. Heuristic scanning increases the probability of false positives.
- B. Heuristic scanning increases the probability of false negatives.
- C. Heuristic scanning cannot detect new malware with unknown signature.
- D. Heuristic scanning requires a separate license key.

**Answer: A**

6.For access policies, by default sites with Web reputation scores from what value through 10 are bypass malware scanning? Select exactly 1 answer(s) from the following:

- A. 0
- B. 3
- C. 6
- D. 9

**Answer: C**

7.What is the S-Series Proxy Bypass List?

Select exactly 1 answer(s) from the following:

- A. a list of proxy servers to be bypassed
- B. a list of clients and destinations that will bypass the proxy in explicit forward mode
- C. a list of user agents exempt from authentication
- D. a list of clients and destinations that will bypass the proxy in transparent mode

**Answer: D**

8.What parameter used by the WSA to distinguish between WCCP services?

Select exactly 1 answer(s) from the following:

- A. service ID
- B. forwarding method
- C. port number
- D. return method

**Answer: A**

9.What WSA CLI command can be used to search for a string in a log?

Select exactly 1 answer(s) from the following:

- A. find
- B. logview
- C. logsearch
- D. grep

**Answer: D**

10.You see the code TCP\_MISS in the access log. What does this mean?

Select exactly 1 answer(s) from the following:

- A. The requested object was fetched from the WSA disk cache.
- B. The requested object was fetched from the WSA memory cache.
- C. The requested object was fetched from the remote server.

- D. The requested object was fetched from the browser cache.
- E. The requested object was not found on the remote server.

**Answer: C**

11. In the access Log, you see an ACL tag beginning with BLOCK\_ADMIN. What might be the cause?  
Select exactly 1 answer(s) from the following:

- A. The destination was manually added to the block list.
- B. The transaction was manually blocked by the admin user.
- C. The malware category is set to blocking mode.
- D. The transaction was blocked because of object properties.

**Answer: D**

12. What are PAC files used for?

Select exactly 1 answer(s) from the following:

- A. transparent mode proxy deployments
- B. user-agent based policies
- C. L4TM
- D. explicit forward mode proxy deployments


**Answer: D**

13. DRAG DROP

Match the troubleshooting tool with one of its features or requirements.

must create a password	
may include a file size, but does not have to	
must include file size limit	
may check for clock skew	
Select Deselect	Policy Trace tool
Select Deselect	authentication test tool
Select Deselect	package capture tool
Select Deselect	remote access tool

**Answer:**



14. When can the user agent field be used to determine the decryption policy?

Select exactly 1 answer(s) from the following:

- A. only in explicit forward proxy mode
- B. always
- C. never
- D. only in transparent proxy mode

**Answer: B**

15. The appearance of the ACL tag BLOCK\_WBRS in the access log means what?

Select exactly 1 answer(s) from the following:

- A. The proxy blocked access to a site with low reputation score.
- B. Your appliance or the WBRS key is out of support.
- C. The proxy blocked an outbound request because the client is infected with malware.
- D. The proxy blocked access to a site because of a suspicious server response.

**Answer: A**