



ITTEST

QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

Exam : **650-294**

Title : TelePresence Video Field
Engineer for Express Exam

Version : Demo

1. Before you upgrade your Cisco Telepresence Management Suite, what should you do with your SQL database?

Select exactly 1 answer(s) from the following:

- A. Save a backup.
- B. Create a second copy.
- C. Set a new username and password.
- D. Restore a previous version.

Answer: A

2. After a configuration is restored, what must be done to make the restored configuration active?

Select exactly 1 answer(s) from the following:

- A. The installation wizard must be rerun.
- B. The reload command must be entered in the CLI.
- C. The system must be restarted.
- D. A registered system must be deregistered.

Answer: C

3. You are making a call by entering the number on your remote control. After keying in the number, what is the next step?

Select exactly 1 answer(s) from the following:

- A. Press the # key to finish the number.
- B. Press the Call button to connect the call.
- C. Press the Home button to connect the call.
- D. The number is automatically added to your phone book, and you call it by selecting the Phone Book button.

Answer: B

4. Which menu path would you choose to configure NTP setting in a Cisco TelePresence VCS?

- A. System Configuration > Time
- B. VCS Configuration > Clustering
- C. System Configuration > DNS
- D. VCS Configuration > Zones

Answer: A

5. What type of account needs to be set up to create a Cisco TelePresence Movi user if you are using the Cisco TelePresence VCS Expressway Starter Pack?

- A. a local FindMe™ account on the Cisco TelePresence VCS
- B. an LDAP user account on Active Directory
- C. a local admin account on the Cisco TelePresence VCS
- D. an LDAP FindMe account on Active Directory

Answer: A

6. When you are configuring H.323 and SIP interworking, what happens when the mode configure is set to on?

- A. The Cisco TelePresence VCS will act as a SIP-H.323 gateway regardless of whether one of the endpoints is locally registered.
- B. The Cisco TelePresence VCS will not act as a SIP-H.323 gateway.
- C. The Cisco TelePresence VCS will act as a SIP-H.323 gateway only if one of the endpoints is locally registered.
- D. The Cisco TelePresence VCS will permit all traffic from any H.323 or SIP endpoint that is registered locally.

Answer: A

7.Which two setting can be configured using the serial connection when you are running the Cisco TelePresence VCS install wizard? (Choose two.)

- A. IP address
- B. default video codec
- C. device name
- D. device ID number
- E. password

Answer: AE

8.What does the Cisco TelePresence MCU service prefix do?

- A. is added to all aliases before registration
- B. ensures that all H323 calls beginning with the prefix are routed to the Cisco TelePresence MCU
- C. identifies which services the Cisco TelePresence MCU will offer in each configured meeting room
- D. diverts calls to the default auto attendant

Answer: B

9.How can you upgrade an existing CiscoTelepresence Management Suite installation?

Select exactly 1 answer(s) from the following:

- A. Copy the new software to the server using FTP.
- B. Install the new software in a Remote Desktop session on the server.
- C. Use the system upgrade feature in Cisco Telepresence Management Suite.
- D. Upload the image through the web interface.

Answer: B

10.In which two way scan a participant be disconnected from aconference? (Choose two)

Select exactly 2 answer(s) from the following:

- A. can be disconnected by any endpoint in thecall
- B. can be disconnected from the web interface
- C. can be disconnected by Cisco Telepresence Content Server
- D. can be automatically disconnected at the end of the allotted time

Answer: BD