



# ITTEST

## QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

**Exam : 650-473**

**Title : Implementing Cisco Identity  
Services Engine Secure  
Solutions Exam**

**Version : Demo**

1.Which of these is not an Inline Posture node operating mode?

- A. router mode
- B. transparent mode
- C. bridged mode
- D. maintenance mode

Answer: B

2.Which one of the following statements is not a correct statement about posture?

- A. CoA is required for WebAuth.
- B. Cisco ISE Administrator can create multiple agent profiles.
- C. Both simple and compound conditions can be used to construct posture requirements.
- D. Wireless posture supports multiple authentication methods.

Answer: C

3.What are the three default behaviors of Cisco ISE with respect to authentication, when a user connects to a switch that is configured for 802.1X, MAB, and WebAuth? (Choose three)

- A. MAB traffic uses internal endpoints for retrieving identity.
- B. Dot1X traffic uses a user-defined identity store for retrieving identity.
- C. Unmatched traffic is allowed on the network.
- D. Unmatched traffic is dropped because of the Reject/Reject/Drop action that is configured under Options.
- E. Dot1 traffic uses internal users for retrieving identity.

Answer: A,D,E

4.The profiling data from network access devices is sent to which Cisco ISE node?

- A. Monitoring node
- B. Administration node
- C. Inline Posture node
- D. Policy Service node

Answer: D

5.Which statement is not true about client provisioning (CP)?

- A. Cisco ISE manages client provisioning resources for your clients.
- B. Client provisioning resources are only provisioned from the ISE Administration node.
- C. The remediation timer is a means for clients to remediate themselves.
- D. Client provisioning can only provision the NAC Agent

Answer: D