

## ITTEST

**QUESTION & ANSWER** 

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

Exam : 650-474

Title : Introducing Cisco Identity

Services Engine for System

Engineer Exam (PAISESE)

Version: Demo

- 1. Which statement about Cisco Identity Services Engene high availability is true?
- A. Monitoring nodes are deployed m an active/active mode. One node serves as primary. All logsare sent automatically to both HAmonitoringnodes.
- B. Administration nodes are limited to two and are deployedin anactive/standby mode.
- C. Secondary Administrate node automatically becomes primaryin theevent of primary node failure.
- D. Monitoring nodes are deployed in an active/standby mode. Alllogs sent to the primary are replicated to the secondary node.
- E. Users are served from the secondary Monitoringnode only if the active Monitoring node fails.

Answer: D

- 2. Which types of design are required in the Cisco ISE ATP program.?
- A. schematic and detailed
- B. preliminaryand final
- C. high-level and low-level designs
- D. top downand bottom up

Answer: C

- 3.Each node can have a different persona and associated services with that persona. Which persona cannot run with other personas on the same Cisco Identity Services Engine node?
- A. Inline PolicyService
- B. Administration
- C. Monitoring
- D. PolicyService

Answer: A