



ITTEST

QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

Exam : **7498X**

Title : Avaya Oceanalytics insights
Integration and Support

Version : DEMO

1.After running the installation script for Avaya software on the Analytics™ DB server, which log file must be checked to confirm that the installation is successful?

- A. db_install.log
- B. install_oracle_db.log
- C. Oracle_install_db.log
- D. install_db.log

Answer: A

Explanation:

Reference: <https://downloads.avaya.com/css/P8/documents/101051617> (64)

2.Which script is used to install Analytics Service and with which user must you run this script?

- A. root, ./install_analytics_service.sh
- B. oracle, ./install_Analytics_Service.sh
- C. oracle, ./install_analytics_service.sh
- D. root, ./analytics_service.sh

Answer: A

Explanation:

Reference: <https://downloads.avaya.com/css/P8/documents/101051617> (67)

3.A customer wants to debug the logs files for the Oracle Component Installation on Avaya Analytics™ Database Servers.

Which directory location in the servers contain the log files for troubleshooting Oracle Component Installation?

- A. /home/oracle/app/oralInventory/logs
- B. /home/oracle/oralInventory/logs
- C. /var/home/oracle/app/logs
- D. /home/InstallFiles/avaya

Answer: B

Explanation:

Reference: <https://downloads.avaya.com/css/P8/documents/101051617>

4.To confirm that there are no errors preventing the OSA server from running successfully, which three log files can the customer review after installing the OSA Server? (Choose three.)

- A. AdminData.log – Monitor for Admin data PUMPUP events.
- B. AvayaAnalytics_InputAdaptor.log – Monitor for UCM data PUMPUP events.
- C. AvayaAnalytics_AdminData.log – Monitor for Admin data PUMPUP events.
- D. Server.log – Monitor for Application Errors.
- E. InputAdaptor.log – Monitor for UCM data PUMPUP events.

Answer: BCD

5.Refer to the exhibit.

Applicati...

Deployed Applications

	Name	State	
<input type="radio"/>	routingpointmeasuresmovingwindow.RoutingPointMVMMeasures	RUNNING	▲
<input type="radio"/>	IntervalController.IntervalController	RUNNING	
<input type="radio"/>	routingervicebyagent.RoutingServiceByAgent	RUNNING	
<input type="radio"/>	agentbyaccount.AgentByAccount	RUNNING	
<input type="radio"/>	agentbyaccountmovingwindow.AgentByAccountMeasures	RUNNING	
<input type="radio"/>	AgentMeasures.Project1	RUNNING	
<input type="radio"/>	agentbyroutingmovingwindow.AgentByRoutingMeasures	RUNNING	
<input type="radio"/>	RoutingPointMeasures.RoutingPoint	RUNNING	
<input type="radio"/>	snmp.snmp	RUNNING	■
<input type="radio"/>	com.bea.wievs.dataservices	RUNNING	
<input type="radio"/>	routingsevicesmeasuresmovingwindow.RoutingServiceMeasures	RUNNING	
<input type="radio"/>	ContactDetailApp.ContactDetailProj	RUNNING	
<input type="radio"/>	admindata.admindata	RUNNING	
<input type="radio"/>	sitemeasuresmovingwindow.SiteMVMMeasures	RUNNING	
<input type="radio"/>	RoutingServiceMeasures.RoutingService	RUNNING	
<input type="radio"/>	agentgroup.AgentGroup	RUNNING	
<input type="radio"/>	agenttimeinstate.AgentTimeInStateMeasures	RUNNING	
<input type="radio"/>	OceanalInputAdaptor.RefInputAdaptor	RUNNING	
<input type="radio"/>	agentmovingwindow.AgentMeasures	RUNNING	▼

How many total applications must be in RUNNING state after successful installation of the Avaya Oceanalytics OSA server?

- A. 18
- B. 16
- C. 20
- D. 23

Answer: C