

ITTEST

QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

Exam : 920-115

Title : Communication Server 2100

SE08/SE09 Support

Specialist

Version: DEMO

- 1. A customer has just installed a CS 2100 solution, but they do not understand the function of the Real-time Transport Protocol (RTP). For which purpose is the RTP used within a CS 2100 solution?
- A. to transport time sensitive data streams
- B. to provide translations and routing for an IP network
- C. to transport data over a Time Division Multiplexing (TDM) network
- D. to translate Time Division Multiplexing (TDM) data streams before routing Answer:A
- 2. A customer is planning to install a Greenfield CS 2100 Compact Server solution. Which required hardware component for the Call Agent component is necessary for this deployment?
- A. a Mediatrix 1124
- B. a STORM SAM-XTS server unit
- C. an AudioCodes Mediant Gateway
- D. a Mototola MCPN Single Board Computer (SBC)

Answer: D

- 3. Which client manager does the Succession Element and Sub-element Management 7 (SESM) /CS2100 Management Tools system support?
- A. DSP Manager
- B. STORM Manager
- C. OTM 2.2 Interface
- D. SAM21 Element Manager

Answer: D

- 4. Which slots on the front and rear of the SAM21 shelf provisioned with a CS 2100 Compact have predefined purposes?
- A. front slots 7, 8, 9, 10; rear slots 15, 16
- B. front slots 7, 8, 9, 10; rear slots 7, 8, 9, 10
- C. front slots 7, 8, 9, 10, 15, 16; rear slots 7, 8, 9, 10

D. front slots 7, 8, 9, 10; rear slots 7, 8, 9, 10, 15, 16

Answer: D

5. Once a new call path has been established between two separate Integraged Access Devices (IADs), which logical path will all voice packets follow?

- A. IAD, IP network, IAD
- B. IAD, IP network, CS LAN, IP network, IAD
- C. IAD, IP network, CS LAN, GWC, CS LAN, GWC, IP network, IAD
- D. IAD, IP network, CS LAN, GWC, GWC, CS, LAN, IP network, IAD Answer:A
- 6. A customer is installing a CS 2100 and wants to insure they are installing the cards properly. Which three cards are minimally required on CS 2100 SAM21 shelves? (Choose three.)
- A. bridge cards
- B. gateway modules
- C. transition modules
- D. Gateway Controller (GWC) cards
- E. hot swappable controller system cards

Answer:ACE

- 7. A customer needs to apply a patch for a CS 2100 Compact Server. From a Network Patch Manager (NPM) interface, which window provides this functionality?
- A. Files window
- B. Status window
- C. Applications window
- D. Maintenance window

Answer: D

- 8. A customer needs to access the Application Launch Point for the SAM21 Element Manager. When launching a web browser to the following link: http://<host>, what should be input for <host>?
- A. the SAM21 Network Element

- B. the IP address of the Mate Controller
- C. the IP address of the SAM21 Element Manager
- D. the name or IP address of the CS 2000 Management Tools Server

Answer: D

- 9. The shelf controller card in slot 7 is currently active, yet it requires routine diagnostics to be performed. How do you run the diagnostic routine?
- A. Lock shelf card 7, run diagnostics.
- B. Unlock Shelf card 7, run diagnostics.
- C. SWACT, lock shelf card 7, run diagnostics.
- D. SWACT, unlock shelf card 7, run diagnostics.

Answer: C

- 10. Which tool is required for the Product Computing Module Load (PCL) patching in a CS 2100 Compact Server?
- A. FTP Client
- B. Call Agent Manager
- C. Patch Download Utility
- D. Post Release Software Manager (PRSM)

Answer: D