



ITTEST

QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

Exam : A00-282

**Title : SAS Certified Professional -
Clinical Trials Programming
Using SAS 9.4**

Version : DEMO

1.The following partial output was produced from the SAS Dictionary Tables.

| Macro Scope | Macro Variable Name |
|-------------|---------------------|
| GLOBAL | SQLEXITCODE |
| GLOBAL | SQLOBS |
| GLOBAL | SQLOOPS |
| GLOBAL | SQLRC |
| GLOBAL | SQLXOBS |
| GLOBAL | SQLXOPENERRS |
| GLOBAL | SYS_SQL_IP_ALL |
| GLOBAL | SYS_SQL_IP_STMT |

Which SQL statement produced this output?

A. proc sql;

```
select * from dictionary.macros  
where scope = 'global';  
quit;
```

B. proc sql;

```
select * from dictionary.macros  
where scope = 'GLOBAL';  
quit;
```

C. proc sql;

```
select scope, name from dictionary.macros  
where scope = 'global';  
quit;
```

D. proc sql;

```
select scope, name from dictionary.macros  
where scope = 'GLOBAL';  
quit;
```

Answer: D

2.The following question will ask you to provide a line of missing code. The following program is submitted to output observations from data set ONE that have more than one record per patient.

```
proc sort data=one out=two;
  by subjid;
run;
data two;
  set two;
  <insert code here>
  if (first.subjid ne 1 or last.subjid ne 1) then output ;
run ;
```

Please enter the line of code that will correctly complete the program. Note: Case is ignored. Do not add leading or trailing spaces to your answer.

A. BYSUBJID;

B. id;

PTON run;

C. BYSUBJID;

BYSUBJID;

D. BYSUBJID;

run;

Answer: A

3.What information can be found in the SAS Dictionary tables? There are two correct answer, Please select two correct answer.

A. datasets contained within a specified library

B. values contained within a specified format

C. variables contained within a specified dataset

D. values contained within a specified variable

Answer: A C

4.Given the following data set WORK.DM:

| subject | ge | sex | race | cbp |
|---------|----|-----|------|-----|
| 001 | 24 | M | WH | NA |
| 002 | 53 | F | BL | YES |
| 003 | 36 | F | AS | NO |
| 004 | 62 | M | BL | YES |
| 005 | 25 | F | WH | YES |
| 006 | 80 | F | MU | NA |

Note: cbp = Child Bearing Potential

The following SAS program is submitted:

```
data _null_ ;
  set WORK.DM ;

  if sex = "M" and cbp ne "NA" then put "CHECK: " subject= sex= cbp= ;
  else if sex = "F" and cbp eq "NA" then put "CHECK: " subject= sex= cbp= ;

run ;
```

Which subjects will appear in the LOG file?

- A. 001 and 004
- B. 001 and 006
- C. 003 and 004
- D. 004 and 006

Answer: D

5. Given the following data set:

| subjid | trt | result | dtime | age |
|--------|-----|--------|-------|-----|
| 1 | | CR | 0 | 56 |
| 2 | A | PD | 1 | 52 |
| 3 | B | PR | 1 | 47 |
| 4 | B | CR | 2 | 29 |
| 5 | 1 | SD | 1 | 39 |
| 6 | C | SD | 3 | 21 |
| 7 | C | PD | 2 | 90 |
| 1 | A | CR | 0 | 43 |
| 3 | B | PD | 1 | 56 |

The following output was generated from PROC PRINT.

| Obs | subjid | trt | result | dtime | age |
|-----|--------|-----|--------|-------|-----|
| 1 | 1 | | CR | 0 | 56 |
| 2 | 2 | A | PD | 1 | 52 |
| 3 | 3 | B | PR | 1 | 47 |
| 4 | 4 | B | CR | 2 | 29 |
| 5 | 5 | 1 | SD | 1 | 39 |
| 6 | 6 | C | SD | 3 | 21 |
| 7 | 7 | C | PD | 2 | 90 |

Which program was used to prepare the data for this PROC PRINT output?

- A. proc sort data=one out=two; by subjid; run;
- B. proc sort data=one out=two nodupkey; by subjid; run;
- C. proc sort data=one out=two nodup; by subjid; run;
- D. proc sort data=one out=two nodupkey; by subjid trt;

Answer: B