



ITTEST

QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

Exam : **ACCESS DEF**

Title : CyberArk Defender Access
(ACC-DEF)

Version : DEMO

1.DRAG DROP

A user wants to install the CyberArk Identity mobile app by using a QR code.
Arrange the steps to do this in the correct sequence.

Unordered Options	Ordered Response
<p>Login to the User Portal.</p> <p>Click the Devices page, and click Add Devices.</p> <p>On the mobile device app, use the camera to scan the QR code.</p> <p>Authorize the application download.</p> <p>Enroll the mobile device.</p>	

Answer:

Unordered Options	Ordered Response
<p>Login to the User Portal.</p> <p>Click the Devices page, and click Add Devices.</p> <p>On the mobile device app, use the camera to scan the QR code.</p> <p>Authorize the application download.</p> <p>Enroll the mobile device.</p>	<p>Authorize the application download.</p> <p>Enroll the mobile device.</p> <p>Login to the User Portal.</p> <p>On the mobile device app, use the camera to scan the QR code.</p>

2.Where can MFA filters be used? (Choose three.)

- A. User and Admin Portal login
- B. App level 2FA/MFA
- C. RADIUS
- D. Self-service password reset
- E. Editing personal profile attributes
- F. OAUTH2 connections

Answer: A, B, D

3.Which 2FA/MFA options can be used if users cannot use their mobile device? (Choose two.)

- A. FID02
- B. Security questions
- C. OAUTH2
- D. QRcode
- E. Push notification app

Answer: A, B

4. A user's account information required for multi-factor authentication is not set up properly and is preventing the user from logging in.

What should you do?

- A. Use the MFA Unlock command in the Admin Portal to suspend multifactor authentication for 10 minutes.
- B. Delete the user's account and create a new one.
- C. Ask the user to delete all browser cookies, then try again.
- D. Change the user's director/ source from Active Directory to LDAP for authentication.

Answer: A

5. Which statement is correct about the CyberArk Identity Windows Device Trust enrollment process?

- A. An enrollment code is optional.
- B. The endpoint does not need to be a domain-joined machine.
- C. You can define the maximum number of joinable endpoints.
- D. You can define the minimum number of joinable endpoints.

Answer: C