

## ITTEST

**QUESTION & ANSWER** 

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

**Exam** : **API-580** 

Title : Risk Based Inspection

**Professional** 

Version: DEMO

- 1. The data validation step stresses the need for a knowledgeable individual.
- A. To comparing data from the inspections to the expected deterioration mechanism and rates
- B. To compare the results with previous measurements on that system
- C. Similar systems at the site or within the company or published data
- D. All of the above

Answer: D

- 2. Following are the critical variables for deterioration mechanism except
- A. Material of construction
- B. Process operating
- C. Start up and shut down conditions
- D. Insulation

Answer: D

- 3.If a qra has been prepared for a process unit, the analysis can borrow extensively from this effort.
- A. Rbi consequence
- B. Rbi likelihood
- C. Rbi probability

Answer: C

- 4.If the probability and consequence combination (risk) is high enough to be unacceptable, then
- A. A mitigation action to predict or prevent the eventis recommended.
- B. A mitigation action to predict or prevent the event isnot recommended
- C. Warrant to analyze risks involved

Answer: A

5.A Rbi analysis shares many of the techniqu	s and data requirements with a
--	--------------------------------

- A. Qra
- B. Pha
- C. Hazop
- D. Event tree

Answer: A