



ITTEST

QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

Exam : C2140-834

**Title : Object Oriented Analysis
and Design-Part2(Design)**

Version : DEMO

1. Which statement is true about elements within the subsystem and public visibility?

- A. Only the subset of elements that define the subsystems API should have public visibility.
- B. Only the subsystem proxy class should have public visibility.
- C. No elements inside the subsystem should have public visibility.
- D. Only the elements that reference external classes should have public visibility.

Answer: C

2. What are the two types of dependency that can be used from a subsystem? (Choose two.)

- A. <<uses>> dependency to a subsystem interface
- B. an <<import>> dependency to a package containing used classes
- C. a <<manifest>> relationship to a node in the Deployment model
- D. a <<realize>> relationship to one or more collaboration occurrences

Answer: AB

3. Which task is performed during use-case realization refinement?

- A. identify participating classes
- B. allocate responsibilities among classes
- C. model messages between classes
- D. model associated class relationships

Answer: D

4. Which statement is true about design subsystems?

- A. They partially encapsulate behavior.
- B. They represent an independent capability with clear interfaces.
- C. They model a single implementation variant.
- D. They can only contain design classes.

Answer: B

5. Given the following configuration: Package A, which contains class aClass is in the presentation layer. Package B, which contains a class bClass and an interface bInterface is in the business layer. Package C, which contains cClass is in the data layer. Which is a poor practice?

- A. aClass calls a method in bClass.
- B. aClass has an attribute of type cClass.
- C. aClass realizes bInterface.
- D. bClass realizes bInterface.

Answer: B

6. Which process document describes design mechanisms, any mappings between design mechanisms, and the details regarding their use?

- A. Software Architecture Document
- B. Design Guidelines
- C. Vision Document
- D. Software Development Plan

Answer: C

7. In the state of a state machine, a behavior can be defined _____.

- A. before reaching a state
- B. upon reaching a state
- C. upon leaving a state
- D. inside a state

Answer: BCD

8. What is a gate?

- A. a parameter that represents a message that crosses the boundary of an interaction or interaction fragment
- B. a defined protocol for accessing the internals of a subsystem
- C. a decision point in a state machine that has more than two alternatives

D. a set of checkpoints each subsystem design must satisfy before it can be assigned for implementation

Answer: A

9. When identifying design elements, a simple analysis class will map to a(n)_____.

A. active class

B. interface

C. design class

D. subsystem

Answer: C

10. In which OOAD activity is the distribution mechanism identified?

A. Identify Design Elements


B. Identify Design Mechanisms

C. Class Design

D. Architectural Analysis

Answer: B

11. Click on the exhibit button In the diagram, what is E?



A. fork

B. initial state

C. decision

D. transition

E. final state

F. event

G. state

H. guard condition

Answer: H

12. Identify Design Elements is part of which workflow detail?

A. Define a Candidate Architecture


B. Design Components

C. Perform Architectural

D. Refine the Architecture

Answer: D

13. Click on the exhibit button In the diagram, what is H?



A. fork

B. initial state

C. decision

D. transition

E. final state

F. event

G. state

H. guard condition

Answer: A

14. What is the relationship between operation and method?

- A. The terms are synonymous.
- B. An operation describes how a method is implemented.
- C. A method describes how an operation is implemented.
- D. There is no relationship.

Answer: C

15. Why would you use subsystem interfaces rather than subsystem instances on sequence diagrams?

- A. to make it easier to model subsystems during Subsystem Design
- B. to make use-case realizations easier to change
- C. to ease sequence diagram maintenance when message signatures change
- D. to reduce the number of classes needed to implement the subsystem

Answer: B

16. Which is an input artifact to the Identify Design Elements activity?

- A. Deployment Model
- B. Implementation Model
- C. Reference Architecture
- D. Software Architecture Document

Answer: D

17. What is an important consideration when allocating processes to nodes?

- A. minimizing network traffic
- B. minimizing power consumption
- C. utilizing all available nodes
- D. physical distance between nodes

Answer: A

18. Which type of mechanism is a connector on a deployment diagram?

- A. backup
- B. communication
- C. transaction
- D. computation

Answer: B

19. A design mechanism _____.

- A. captures the key aspects of a solution in a way that is implementation-independent
- B. specifies the exact implementation of the mechanism and is bound to a certain technology, implementation language, or vendor
- C. is the same as a design pattern
- D. assumes some details of the implementation environment, but is not tied to a specific implementation

Answer: D

20. When identifying interfaces during the Identify Design Elements activity, which statement is true?

- A. Classes should not realize an interface.
- B. Each subsystem realizes only one interface.
- C. Interfaces should be identified before subsystems are created.
- D. Interfaces should be packaged separately from the elements that realize them.

Answer: D