



# ITTEST

## QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

**Exam : C2180-274**

**Title : IBM WebSphere DataPower  
SOA Appliances Firmware  
V5.0 Solution  
Implementation**

**Version : DEMO**

1.A solution implementer needs to set the Log Priority of log messages within a WS-MediationPolicy policy attachment.

How can the solution implementer configure the value of Log Priority?

- A. Conformance object
- B. Policy Parameters object
- C. Policy Attachments object
- D. Log Priority of the SLM action object

**Answer: B**

2.An SLM Policy has been associated with a web service proxy to restrict access to a backend web service if one of a number of conditions has been met. The list of conditions are described in a series of SLM statements.

What Evaluation Method must the solution implementer select in the SLM Policy to ensure that every SLM statement is checked until a throttle condition is executed?

- A. terminate-at-first-filter
- B. terminate-at-first-reject
- C. terminate-at-first-action
- D. terminate-at-first-refuse

**Answer: B**

3.A customer needs message privacy and message integrity on a given transaction, and prefers the use of WS-Policy. WebSphere DataPower must receive a username from each user, but no authentication is required.

In order to implement this without additional custom work, the solution implementer can:

- A. use WS-Policy with UsernameToken, Encryption and Signature enforced.
- B. use WS-Policy with Encryption, Signature and pass the username in the message body.
- C. use an Encrypt and Sign Action in the request, followed by a Decrypt and Verify Action in the response.
- D. use a basic authentication header, then use the default encryption and signature inherent in the WS-Proxy.

**Answer: A**

4.A solution implementer has been tasked with monitoring a service and filtering requests based on how long an external backend service takes to respond. The solution implementer has chosen to use the message duration monitor in the DataPower service.

Which "measure" value must the solution implementer configure to satisfy this requirement?

- A. Server
- B. Requests
- C. Messages
- D. Responses

**Answer: A**

5.Message traffic from a customer purchasing system is passing SOAP messages through a DataPower XI52 appliance. A solution implementer uses a multi-protocol gateway to implement WS-Security to encrypt the complete message.

Which of the following parameters should the solution implementer select to correctly configure the Encrypt action?

- A. Envelop Method: WSSec encryption Message Type : SOAP Message Document Crypto Map : None
- B. Envelop Method: WS-Security Message Type : SOAP Message Document Crypto Map :  
store:///encrypt\_message.xsl
- C. Envelop Method: Standard XML encryption Message Type : SOAP Message Document Crypto Map :  
store:///encrypt\_message.xsl
- D. Envelop Method: Advanced Message Type : Raw XML document Document Crypto Map :  
store:///ws\_security\_encrypt.xsl

**Answer: A**