



# ITTEST

QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

**Exam** : **CCJE**

**Title** : Certified CloudBees Jenkins  
Engineer (CCJE)

**Version** : DEMO

- 1.The Jenkins Install Wizard allows you to\_\_\_\_\_.
- A. define the security settings of the Jenkins instance you are installing
  - B. define an admin user for Jenkins
  - C. define non-admin users for Jenkins
  - D. completely define the security and notification settings of the Jenkins instance you are installing
  - E. define executor agents

**Answer: A**

- 2.Which of the following "agent" directives are not valid in Declarative Pipeline?
- A. agent {dockerfile {filename \* Dockerfile' }}
  - B. agent docker
  - C. agent none
  - D. agent { label " linux }
  - E. agent { docker ' centos: latest ' }

**Answer: B**

3.You have a project X that depends on project Y, which in turn depends on project Z. You are working on project Z. learn X reported that feature team Z.jar, which they are using, causes a NullPointerException. What Jenkins feature tell you, as a member of team Z, which builds are using (or not using) feature team-Z jar build #32?

- A. The "Fingerprint" feature.
- B. The "Archive the artifacts" post-build action.
- C. The Jenkins Blueprint feature.
- D. The can only be done if you install the Build Analysis plugin.

**Answer: C**

4.You are using the Jenkins CLI to communicate with a remote Jenkins master. Which are valid ways to authenticate your identity to gain access? Choose 2 answers

- A. A Jenkins user's username and password or API token.
- B. A Jenkins user's username and GitHub API token.
- C. A Jenkins user's username and Kerberos token.
- D. An SSH key matching an entry in the authorized\_keys file of the user account that the Jenkins master process runs "as".
- E. An SSH key matching a Jenkins user's public key.

**Answer: A,C**

5.What happens to all associated configuration metadata (on jobs, builds, etc) after a plugin is uninstaler?

- A. Nothing happens. The data remains on the persisted form of the configuration until the next save of that Rem (job, etc.).
- B. It is deleted on the next restart of Jenkins.
- C. It is deleted on the next configuration reload.
- D. It is deleted immediately.
- E. The data is backed up and then deleted from the live configuration.

**Answer: A**