



ITTEST

QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

Exam : **D-PVM-OE-23**

Title : Dell PowerMax and VMAX
Family Solutions Operate
2023

Version : DEMO

1.What is the correct priority list that Solutions Enabler will use to select a device for use as a Gatekeeper (GK)?

- A. 1. Small devices (< 10 Cylinders) with the inquiry GK flag
- 2. Standard non-RDF and non-meta devices
- 3. R1 devices
- 4. VCM/ACLX devices
- 5. R2 devices
- B. 1. VCM/ACLX devices
- 2. R1 devices
- 3. R2 devices
- 4. Small devices (< 10 Cylinders) with the inquiry GK flag
- 5. Standard non-RDF and non-meta devices
- C. 1. R2 devices
- 2. Small devices (< 10 Cylinders) with the inquiry GK flag
- 3. VCM/ACLX devices
- 4. Standard non-RDF and non-meta devices
- 5. R1 devices
- D. 1. Standard non-RDF and non-meta devices
- 2. R1 devices
- 3. VCM/ACLX devices
- 4. Small devices (< 10 Cylinders) with the inquiry GK flag
- 5. R2 devices

Answer: B

2.When transitioning from Adaptive Copy mode to SRDF/A mode, what is the minimum number of cycle switches required to reach data consistency?

- A. 1
- B. 2
- C. 4
- D. 8

Answer: B

3.In PowerMax VMAX All Flash and VMAX3 which thin provisioning component can be changed with SYMCLI or Unisphere?

- A. Storage Resource Pool
- B. Disk Group
- C. Storage Group
- D. Virtual Provisioning Pool

Answer: C

4.You are in a meeting with a customer to discuss virtual provisioning on VMAX3 arrays. The customer wants information on extent allocation during thin device creation.

How many extent(s) are allocated when a thin device is created?

- A. 0

- B. 1
- C. 12
- D. 42

Answer: A

5.Which type of RDF devices are used in Cascaded SRDF environments?

- A. R11
- B. R12
- C. R21
- D. R22

Answer: C