



ITTEST

QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

Exam : HP0-096

**Title : HP-UX Advanced System
Administration**

Version : DEMO

1.HP PA-RISC processors contain which features? (Select three.)

- A.EPIC instruction set
- B.division functional units
- C.multiple functional units
- D.fault tolerant architecture
- E.on-chipset associate cache
- F.floating point multiply and add units
- G.hardware Fibonacci sequence generators

Correct:C E F

2.What function does the swapper perform in the HP-UX operating system?

- A.deactivates running processes when free memory is too low
- B.swaps an entire process from main memory back to disk storage
- C.swaps recently referenced pages from main memory back to disk storage
- D.swaps an entire process from main memory on to an intermediate storage device and then to disk storage

Correct:A

3.Management purchases an Integrity Superdome to replace two rp8420 servers. There is available CPU capacity and management decides to bring additional applications for execution on the Integrity Superdome. Given this scenario, which statement could be true?

- A.Some of the applications are Linux-based, and Linux applications are not qualified to run on the Superdome.
- B.The Superdome may be on the verge of an I/O bottleneck, as the Superdome has fewer I/O slots per cell than the rp8420.
- C.Some of the applications are Windows-based, that run alongside your HP-UX applications in a different soft partition of the Superdome.
- D.Some of the applications are Windows-based, that run alongside your HP-UX applications in a different hard partition of the Superdome.

Correct:D

4.Which statements describe the characteristics of the HP PCI I/O implementation? (Select two).

- A.It always uses a 5.0 volt slot.
- B.Turbo slots provide full PCI bandwidth to a single PCI card.
- C.All servers provide a maximum of three PCI slots per CPU.
- D.It is able to multiplex several PCI slots onto a single PCI bus.
- E.Core I/O card provides basic connectivity of SCSI boot disks, management port, and general purpose network connections.

Correct:B E

5.Which objects are valid VxVM objects? (Select four.)

- A.plex
- B.rootdg
- C.cat_vol
- D.VM_obj
- E.volume
- F.subdisk
- G.phys_vol

H.mirror_disk

Correct:A B E F

6.Neighbor discovery is a component of which protocol?

- A.IPv6
- B.ARP
- C.OSPF
- D.DHCP

Correct:A

7.Which feature does PPP provide?

- A.secure data encryption
- B.network address translation
- C.bridging between two Ethernet segments
- D.transmission of data to remote locations through a serial interface

Correct:D

8.A new gateway machine, IP address 145.1.22.100, allows access to a business partner with a network number of 15. Which command creates a static route to the business partner's network?

- A.route add net 145.1.22.100 15.0.0.0 0
- B.route add net 145.1.22.100 15.0.0.0 1
- C.route add net 15.0.0.0 145.1.22.100 0
- D.route add net 15.0.0.0 145.1.22.100 1

Correct:D

9.What is the configuration file for the HP CIFS Server product?

- A./etc/opt/samba/smb.conf
- B./etc/opt/samba/cifs.conf
- C./etc/opt/samba/swat.conf
- D./etc/opt/samba/samba.conf

Correct:A

10.When a connection is established with inetd for a service, inetd runs the appropriate server specified in the /etc/inetd.conf file and waits for other connections. Which HP-UX application can be used in addition to inetd to verify whether a host or network can execute a service provided in inetd.conf?

- A.IPsec
- B.IPfilter
- C.TCP wrappers
- D.Security Advisor

Correct:C

11.Which feature allows the LDAP-UX client to retrieve information from LDAP Directory Servers that do not support RFC2307?

- A.SASL
- B.attribute mapping
- C.configuration profile
- D.service search descriptors

Correct:B

12.What is the ndd command used for?

- A.ARPA tuning
- B.network tuning
- C.NIC configuration
- D.bind configuration

Correct:B

13.Which command talks directly to the sendmail daemon and other SMTP servers to verify connectivity?

- A.telnet host 23
- B.telnet host 80
- C.telnet host 25
- D.telnet host 110

Correct:C

14.Which program initially starts rpcbind at boot?

- A./sbin/init.d/net
- B./sbin/init.d/named
- C./sbin/init.d/nfs.core
- D./sbin/init.d/rpcbind

Correct:C

15.Which statements describe the default behavior of the NFS Version 2 and 3 server daemons and threads? (Select three.)

- A.TCP transport support is enabled.
- B.UDP transport support is enabled.
- C.The server uses AutoFS to export filesystems.
- D.When a client accesses a file, the server returns a file handle.
- E.The server knows which NFS clients have files or filehandles open.

Correct:A B D

16.Which command reports the speed and duplex settings of a network interface card?

- A.ioscan
- B.netstat
- C.lanadmin
- D.ifconfig

Correct:C

17.Which command uses NTP to keep the local system clock in sync with other nodes on the network?

- A./usr/sbin/ntpsync
- B./usr/sbin/ntpdate
- C./usr/sbin/ntpscan
- D./usr/sbin/ntpd.conf

Correct:B

18.Which command scans for system hardware, interface cards, usable I/O system devices, or kernel I/O?

- A.ioscan
- B.lanscan
- C.sysview

D.scansys

Correct:A

19.Which command creates an Ignite-UX setup file for a depot?

A.make_config

B.make_depots

C.create_setup

D.make_bundles

Correct:A

20.What does the /var/adm/sw/products directory contain?

A.a collection of obsolete product sets

B.a collection of installed product databases

C.a collection of backup copies of product configuration files

D.a collection of product installation related errors will be stored

Correct:B