



ITTEST

QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

Exam : HP0-310

**Title : OpenView Performance
Insight**

Version : DEMO

1.What type of information does the Capacity Planning Report present?

- A.identifies the ten worst performing interfaces and assigns a grade to each interface based on utilization, error, and discard exceptions
- B.identifies interfaces, devices, locations, and protocols with lowest availability and highest response time
- C.forecasts busy hour utilization and sort interfaces, devices, locations, or protocols by rate of growth
- D.provides utilization, error, and discard data for one or more active interfaces that you select from a list of active interfaces

Correct:C

2.OVPI integration with NNM can support _____. Select TWO.

- A.launching polling policy manager from the NNM GUI
- B.launching of OVPI collectors by NNM
- C.viewing of OVPI reports using NNM object menus
- D.importing a node list from NNM
- E.running OVPI applications through NNM Web Console

Correct:C D

3.Which report provides a solution for a possible Cisco device re-indexing incident?

- A.Interface Reporting
- B.System Resources
- C.Cisco Service Assurance Agent Reporting
- D.Cisco MPLS VPN

Correct:A

4.What are the major differentiating factors for OVPI when compared to fault management applications? Select TWO.

- A.real time ad-hoc displays
- B.long term low frequency polling
- C.data discarded once the problem is resolved
- D.immediate information on the current situation
- E.analytical summarization of past conditions

Correct:B E

5.After installation, Sybase will produce messages on startup. Where are these messages placed?

- A.{DPIPE_HOME}\\log\\
- B.{SYBASE}\\install\\
- C.{SYBASE}\\log\\
- D.{DPIPE_HOME}\\install\\log\\

Correct:B

6.When an SNMP device is not showing up in the report, what would you check for? Select TWO.

- A.Check to see if OVPI can still access the device by SNMP.
- B.Check to see if the community string in the device has changed.
- C.Check to see if the device can be accessed using telnet.
- D.Check to see if the device will still send out SNMP Traps.

Correct:A B

7.Which situation could lead to an empty report?

- A.The data tables for the report do not exist in Sybase.
- B.The user is not allowed to view this particular data.

- C.The system time on the user's system is not correct.
- D.An incorrect OVPI server is being used.

Correct:B

8.A report may be displayed, but none of the report elements are populated. There are several reasons for this, two of these reasons could be _____. Select TWO.

- A.the time stamp on the data is incorrect
- B.database has filled up
- C.OVPI license size is incorrect
- D.reports are being run before the data is ready

Correct:B D

9.Where would you check to verify why reports are not being generated?

- A.{DPIPE_HOME}\\log\\ovpi.log, Catalog View Manager
- B.Catalog View Manager, {DPIPE_HOME}\\log\\trend.log
- C.{TREND_LOG}\\trend.log, Schedules
- D.{OVPI_LOG}\\trend.log, Schedules

Correct:C

10.If a report is displayed, but the elements of the report are not populated (graphs, tables ?, what would you do? Select TWO.

- A.check to see if rollups are still in progress.
- B.check to see if the application server is running
- C.run the report in Viewer or Builder and check for time range
- D.check trend.log file for report generation errors

Correct:A C