



# ITTEST

QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

**Exam** : **HP0-656**

**Title** : **DATA PROTECTOR 5.5  
BASICS FOR UNIX**

**Version** : **DEMO**

**1. When using the Restore from Media option, which configuration guideline should you consider regarding the required memory?**

- A. number\_of\_files multiplied by 100 bytes
- B. number\_of\_files multiplied by 200 bytes
- C. number\_of\_directories multiplied by 100 bytes
- D. number\_of\_directories multiplied by 200 bytes

**Correct: B**

**2. The file demo.txt in the directory tree /usr/demo was created on January 4, 2003. It was modified on January 10, 2003. A full backup took place on January 5, 2003, followed by incrementals on January 6, 7 and 8. When using the "restore version" option within the GUI, how many versions will be displayed?**

- A. 1
- B. 2
- C. 3
- D. 4

**Correct: A**

**3. How is a disk image restore performed?**

- A. file-by-file
- B. object-by-object
- C. block-by-block
- D. directory-by-directory

**Correct: C**

**4. What is the advantage of a Data Protector session restore?**

- A. The database will not be used.
- B. It is fast since it is restoring only whole volumes.
- C. All objects from a backup can be restored together.
- D. It does not require any control as it is restoring everything.

**Correct: C**

**5. Which process or service runs on the Data Protector cell manager and starts backup and restore sessions?**

- A. Data Protector Inet
- B. Cell Request Server (CRS)
- C. Raima Database Server (RDS)
- D. Media Management Process (MMD)

**Correct: B**

**6. How many disk agents are started if you perform a parallel restore?**

- A. one for each disk
- B. one for each tape
- C. one for each client
- D. one for each object

**Correct: D**

**7. What happens if the backup chain is broken and you start a restore?**

- A. The restore aborts.
- B. A warning message displays.

- C. Only the full backup is restored.
- D. It is not possible to browse the restore GUI.

**Correct: B**

**8. What is the full path to the Data Protector Web reporting Java applet on a UNIX Client?**

- A. /opt/omni/java/sbin/WbReporting.html
- B. /etc/opt/omni/java/sbin/WebReporting.html
- C. /opt/omni/java/bin/WebReporting.html
- D. /opt/omni/bin/java/WebReporting.htm

**Correct: C**

**9. To view a finished session that is no longer displayed in the Data Protector "Monitor" context, you must view the session in which context?**

- A. View
- B. Internal Database
- C. Reporting
- D. Devices and Media

**Correct: B**

**10. What could cause an export of a tape within a library to fail?**

- A. if all drives are busy
- B. if the mailslot is full
- C. if the robotics is busy
- D. if the media is protected

**Correct: D**

**11. To verify the logical device configuration using the GUI; load a tape into the drive, then right-click on the created drive to display the pop-up menu. From this menu, which option do you select to verify the device operations?**

- A. eject medium
- B. scan medium
- C. check media state
- D. verify tape
- E. confirm mount request

**Correct: B**

**12. How can you prevent multiple hosts from simultaneously attempting to utilize a device in one Data Protector cell?**

- A. logical lock
- B. device lock
- C. lock names
- D. physical lock

**Correct: C**

**13. When defining a logical tape library device, the access to a library is split into two paths. What are the paths? Select TWO.**

- A. data path
- B. SCSI path
- C. control path
- D. network path

**Correct:A C**

**14.When performing a manual configuration using the command line, you can create a new logical device by defining it in a temporary file in the devices directory. How is the Media Management database updated with this information?**

- A.automatically when the device schedule is invoked
- B.with the omnidownload command
- C.with the omniupload command
- D.with the omniupdate command

**Correct:C**

**15.A tape library with two drives is connected to two hosts (host A and host B) using SCSI. Each host is accessing one drive through a dedicated SCSI connection. Host B also has access to the robotics interface. Which statement is true in this configuration?**

- A.This configuration is not possible in a SCSI environment because all hosts need physical access to the robotics controller.
- B.Host A will need the media agent to control the robotics and perform all library operations for the local drive.
- C.Host B will need the media agent to control the robotics and perform all library operations.
- D.Both hosts A and B will require a "direct library" configuration to allow shared network control of the robotics.

**Correct:C**

**16.The object option "Display Statistics" is turned on in the GUI while configuring and running a backup. What does it show in addition to standard messaging?**

- A.kilobytes per second for each object
- B.object detail retained for a specific date
- C.three levels of detail on files and directories
- D.the number of files handled during a backup session

**Correct:A**

**17.Where are file system and host backup specifications stored?**

- A./opt/omni/datalists
- B./opt/omni/backuplists
- C./etc/opt/omni/datalists
- D./etc/opt/omni/barlists

**Correct:C**

**18.It is useful in dynamic environments to perform a backup that uses which object type?**

- A.file system object
- B.client object
- C.disk object
- D.database object

**Correct:B**

**19.Which inode time is used to detect files for incremental backups?**

- A.access time
- B.creation time
- C.modification time
- D.defragmentation time

**Correct:C**

**20.Which file system action is required before you perform a raw disk backup?**

- A.verify
- B.check
- C.mount
- D.unmount

**Correct:D**