



# ITTEST

QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

**Exam** : **HP0-698**

**Title** : Supporting the HP ProLiant  
Storage Server Product  
Family

**Version** : Demo

1. What does Volume Shadow Copy provide?.

- A. backup to disks
- B. LUN duplication
- C. point in time copies
- D. data replication to a remote site

Answer: C

2. What does network interface controller (NIC) teaming provide? Select TWO.

- A. fault tolerance
- B. better data protection
- C. IP support on Fibre Channel
- D. higher throughput
- E. IP support on SCSI

Answer:AD

3. An online spare CANNOT be assigned to which RAID level?

- A. 0
- B. 1
- C. ADG
- D. 5

Answer:A

4. Which protocol is used for network file and print level access in a Microsoft environment?

- A. Network File System
- B. Server Message Block
- C. Sequenced Packet Exchange
- D. Network Transfer File System

Answer: B

5. In which security environments can HP ProLiant Storage Servers be deployed? Select THREE.

- A. Active Directory Domain
- B. Unix Directory Service
- C. Windows NT Domain
- D. RADIUS Domain
- E. Workgroup
- F. Network Information Services Plus

Answer:ACE

6. HP ProLiant Storage Server "multiprotocol support" means the support of \_\_\_\_\_.

- A. IP on 10Mb, 100Mb and 1Gb Ethernet
- B. NFS, FTP, SMB, etc. for client access
- C. SCSI, FC, FTP etc. for storage access
- D. WebUI, iLO and command line interfaces

Answer: B

7. The domain controller configuration functions are missing on an HP ProLiant Storage Server and the customer complains about the incomplete operating system installation. How can the problem be solved?

- A. HP ProLiant Storage Servers provide simultaneous support for multiple domains, but cannot be domain members. An additional server is required.
- B. Domain controller functionality is excluded from HP ProLiant Storage Server software by default. Installation of the DC feature pack is required.
- C. Domain controller functionality is disabled on single HP ProLiant Storage Servers. A cluster configuration is required.
- D. The Windows Storage Server operating system does not support domain controller functionality. An additional server is required.

Answer: D

8. You logged in to Remote Desktop twice, finished, and closed the browser window using the "close window button" (x). You cannot access Remote Desktop. Why?

- A. Administrator account is already in use. Try later.

- B. Login process is terminated. Process must be restarted.
- C. Connection is blocked. Target system must be disconnected.
- D. Sessions were improperly exited. Processes must be terminated.

Answer: D

9. If an NC7771 NIC is teamed with the embedded NC7761 NIC in an HP ProLiant ML370 G4 Storage Server, jumbo frames do NOT function. Why?

- A. The function is not implemented on the NC7771 NIC.
- B. The function is disabled on the NC7771 NIC by default.
- C. NIC teaming always disables the function on the associated NICs.
- D. Teaming with the NC7761 NIC disables the function on the NC7771 NIC.

Answer: D

10. A customer complains that a new ProLiant ML350 storage server was deployed without a monitor, keyboard, and mouse. Which

Answer is correct?

- A. Storage servers are exclusively designed for remote management and are not equipped with monitor, keyboard, and mouse connectors.
- B. A monitor, keyboard, and a mouse are essential for storage server management and are components of the standard equipment.
- C. Storage servers are designed for local or remote management, but can be deployed without a monitor, keyboard, and mouse.
- D. A monitor, keyboard, and a mouse are essential for storage server management, but must be ordered separately.

Answer: C

11. What must be done after replacing a CMOS battery on an ML370?

- A. Wait 4 hours to charge the battery.
- B. Reconfigure the system ROM.
- C. Flush the cache to disk.
- D. Delete the cache before connecting storage.

Answer: B

12. Which slot type should be used for an SA6400 array controller?

- A. 3.3 V PCI or PCI-X slot
- B. 3.3 V PCI express slot
- C. second slot of the first PCI bus
- D. first slot of the tertiary bus

Answer:A

13. What should you do before replacing any disk drive in an array?

- A. Remove the associated spare disk.
- B. Format the disk before you remove it.
- C. Document array and partition information.
- D. Disable access to the associated logical drives.

Answer: C

14. Which standard HP ProLiant Storage Server models do NOT have the data volumes preconfigured at the factory or by the Quick Restore DVD?

- A. all 1x0 models
- B. all 3x0 and 5xx models
- C. all DL models
- D. all ML models

Answer: B

15. The operating system of an HP ProLiant Storage Server is corrupted and cannot be booted. What is the recommended method to start the system recovery?

- A. Boot the server from the latest full backup tape.
- B. Reinstall the operating system from the MS WSS DVD set.
- C. Recover the factory default image using the Quick Restore DVD.
- D. Replace the system board and then try to reboot the server.

Answer: C

16. How can you generate an Array Diagnostics Utility report without an operating system running?

- A. Boot from the Smart Start CD.
- B. Press the F2 key during power on.
- C. Boot from the Quick Restore DVD.
- D. Force a crashdump.

Answer:A

17. If you disable shadow copies on a NAS volume, existing shadow copies \_\_\_\_\_.

- A. are deleted, but can be restored
- B. remain usable on the volume
- C. are deleted and cannot be restored
- D. remain on the volume, but are disabled

Answer: C

18. You check disk space utilization of a volume with disk quota enabled and discover that a user has exceeded the limit. What must you do to prevent users from exceeding the quota in the future?

- A. Delete some files in the user directory.
- B. Compress the files in the user directory.
- C. Deny disk space to users exceeding quota limit.
- D. Delete and recreate the user account and directory.

Answer: C

19. What must be installed before upgrading an ML110 Storage Server with a RILOE II board?

- A. Advanced System Management Driver
- B. Array Configuration Utility
- C. Array Diagnostic Utility
- D. HP Proactive Services Driver

Answer:A

20. Pressing the Power On/Standby button on a running DL380 Storage Server \_\_\_\_\_.

- A. completely removes system power
- B. does not completely remove system power
- C. invokes the operating system standby mode
- D. has no effect if the operating system is running

Answer: B