



ITTEST

QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

Exam : HP0-781

**Title : NonStop Performance
Analysis and Tuning**

Version : Demo

1. Which product allows you to collect, measure, view, analyze and evaluate application service-level metrics?

- A. ASAP
- B. TPDC
- C. PEEK
- D. MEASURE

Answer:A

2. Which embedded SQL/MP statement is used for performance data collection?

- A. INCLUDE SQLCA
- B. INCLUDE SQLSA
- C. INCLUDE SQLDA
- D. INCLUDE SQLSTATS

Answer: B

3. When are the best times to take measurements of a system? Select TWO.

- A. when another detailed measurement is active
- B. continuously
- C. when the system is lightly loaded
- D. at peak time
- E. during database reorganization

Answer: BD

4. Which PATHCOM command displays statistical information for all TCPs in the RUNNING state for a 10-minute interval?

- A. STATS TCP *, STATE RUNNING, PERIOD 10 MINS
- B. STATUS TCP *, STATE RUNNING, INTERVAL 10 MINS
- C. STATS TCP *, STATUS RUNNING, PERIOD 10 MINS

D. STATS TCP *, STATE RUNNING, INTERVAL 10 MINS

Answer: D

5. Which statistical information can be obtained in SQLCI?

A. disk reads, message count, lock waits

B. lock escalations, cash hit, records accessed

C. index level, records used, timeouts

D. disk open, message bytes, esp time

Answer:A

6. Which Measure entities provide the data needed to determine a high level overview of the system over a 24-hour period?

A. CPU, PROCESS and DISC

B. CPU, PROCESS and DISKFILE

C. CPU, PROCESS and DISCOPEN

D. CPU, PROCESSH and DISC

Answer:A

7. Performance has gradually worsened for an application that sequentially reads a frequently updated file (inserts, deletes & updates). What would you do to enhance the performance?

A. fup reload

B. create index

C. add partition

D. update statistics

Answer:A

8. Which MEASURE entity can be used to implement transaction counting within an application process?

A. System

B. Process

C. Userdef

D. CPU

Answer: C

9. What is the best strategy to start measuring a system?

A. Run PEEK at random intervals.

B. Use VIEWSYS to monitor the system.

C. Use VIEWPOINT to highlight thresholds.

D. Perform a 24-hour measurement of the complete system.

Answer: D

10. What does ViewSys collect information about?

A. Open Control Blocks (OCB) currently in use

B. processor dispatch rate

C. EXPAND line utilization

D. records accessed/used for SQL SELECTS

Answer: B

11. A query accessing a file has recently suffered a significant performance degradation. What recommended action is required on the file?

Click the Exhibit button.

```
Data Chain Information:
Number of chains      100
Longest chain         2
Chain length histogram
1                     0
2 -10                 100
11 -25                0
26 - 50               0
51 ?100               0
> 100                0
Avg blocks/chain      2
% of total blks in avg chain
1%
```

A. The query needs recompilation.

B. The file does not need a reload.

C. The file needs a reload.

D. The file needs update statistics.

Answer: C

12. What would you do to enhance performance of the following query? Click the Exhibit button and scroll through the query.

Operation 1.0 : Scan

Table : \SUNNY.\$CLASS1.SQLDB.EMPLOYEE
 Access type : Record locks, stable access
 Lock mode : Chosen by the system
 Column processing : Requires retrieval of 6 out of 6 columns

 Access path 1 : Primary, partitioned, sequential cache
 SBB for reads : Virtual
 Begin key pred. : None
 End key pred. : None
 Index selectivity : Expect to examine 100% of rows from table
 Index pred. : None
 Base table pred. : Will be evaluated by the disk process
 DEPTNUM = 3600
 Pred. Selectivity : Expect to select 1.1905% of rows from table

 Executor pred. : None
 Table selectivity : Expect to select 1.1905% of rows from table
 Expected row count : 236 rows after the scan
 Operation cost : 848

Total cost : 848

>>invoke employee;

-- Definition of table \SUNNY.\$CLASS1.SQLDB.EMPLOYEE

-- Definition current at 09:48:13 - 11/08/01

```

(
  EMPNUM          NUMERIC( 6, 0) UNSIGNED NO DEFAULT NOT NULL
, FIRSTNAME       CHAR(15)                      NO DEFAULT NOT NULL
, LASTNAME        CHAR(20)                      NO DEFAULT NOT NULL
, DEPTNUM         NUMERIC( 4, 0) UNSIGNED        DEFAULT      NULL
, JOBCODE         NUMERIC( 4, 0) UNSIGNED        DEFAULT      NULL
, U_TIMESTAMP     DATETIME YEAR TO FRACTION(6) DEFAULT SYSTEM
)

```

\$CLASS1.SQLDB.EMPLOYEE 8 Nov 2001, 9:54

```

SQL BASE TABLE
CATALOG $CLASS1.SQLCAT
VERSION 2
TYPE K
FORMAT 1
EXT ( 284 PAGES, 30 PAGES, MAXEXTENTS 160 )
REC 59
PACKED REC 58
BLOCK 4096
KEY ( COLUMN 0, OFFSET 0, LENGTH 4, ASC )
INDEX ( 1, $CLASS1.SQLDB.XEMPNAME,
        COLUMN 2, OFFSET 19, LENGTH 20, ASC,
        COLUMN 1, OFFSET 4, LENGTH 15, ASC,
        NOT UNIQUE )
PART ( 0, $CLASS1, 284 PAGES, 30 PAGES, MAXEXTENTS 160, FORMAT 1, 0 )
PART ( 1, $CLASS2, 284 PAGES, 30 PAGES, MAXEXTENTS 160, FORMAT 1, 14521 )
AUDIT
BUFFERED
AUDITCOMPRESS
OWNER -1
SECURITY (RWEP): NONE
DATA MODIF: 12 Apr 2001, 18:11
CREATION DATE: 28 Feb 2001, 14:41
REDEFINITION DATE: 12 Apr 2001, 18:11
LAST OPEN: 8 Nov 2001, 9:31
EOF: 364544 (3.5% USED)
EXTENTS ALLOCATED: 1
INDEX LEVELS: 1

```

- A. force VSBB
- B. add more cash
- C. partition the table
- D. create an index

Answer: D

13. Which information is provided by TRA?

- A. cache hit rate
- B. status of reload
- C. average blocks per chain
- D. whether or not to reload a file

Answer: C

14. Which RDF global parameter should be set to allow monitoring of an Updater's lag time?

- A. UPDATERDELAY
- B. UPDATERRTDWARNING
- C. UPDATERTEXTIME
- D. UPDATEROPEN

Answer: B

15. Scenario: The Marketing Group is asking for a new feature to be added to the retail OLTP application. They would

like to have an online query that would list the last 30 days of purchases for a given customer (credit card number).

The file that currently contains this information is Key-Sequenced and it is updated every time a purchase is finalized.

The primary key for this file is system generated, the remaining data elements are: timestamp, credit card number, the

part number of the item being purchased, the price and the quantity purchased.

You have been asked to recommend the optimal way to access this data. Select ONE.

- A. Use the internal sort process and sort the file by the Timestamp

- B. Create an Alternate Key file, using the Timestamp as Alternate Key value and accessing the file via the Alternate Key
- C. Use the internal sort process and sort the file by the Credit Card Number
- D. Create an Alternate Key file, using the Credit Card Number as Alternate Key value and accessing the file via the Alternate Key

Answer: D

16. Which method contributes to increased memory usage?

- A. shared run time libraries
- B. reusable program modules
- C. reusable objects
- D. program pairs

Answer: D

17. What is the benefit of distributing processes across processors?

- A. shorter path length
- B. easier management of serverclasses
- C. better load balancing
- D. less use of memory resources

Answer: C

18. Parallelism is a major performance feature exploited by

- A. a NonStop process pair
- B. an audited transaction
- C. file partitioning
- D. priority setting

Answer: C

19. Which Pathway server class attribute directly controls the request queue?

- A. TIMEOUT
- B. CHECKPOINT
- C. MAXLINKS
- D. MAXSERVERS

Answer: C

20. During interpretation of a SCREEN COBOL program, the TCP is responsible for dynamically allocating and deallocating memory space for terminal and server I/O buffers. Which TCP attributes define the total space available for these buffers? Select TWO.

- A. MAXTERMDATA
- B. TERMPOOL
- C. TERMBUF
- D. MAXREPLY
- E. SERVERPOOL

Answer: BE