



ITTEST

QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

Exam : **HP0-A23**

Title : NonStop NS-Series Servers
Configuration and Planning

Version : Demo

1.Which tool produces a report recommending disk cache changes based on evaluated MEASURE data?

- A. NSX
- B. SCF
- C. GPA
- D. XRAY

Answer: C

2.When you start Viewsys from a TACL prompt, which command string option will force Viewsys to display a specific number of processors?

- A. cpus
- B. cpunum
- C. processors
- D. numcpu

Answer: D

3.After basic system balancing using GPA, which tool can be used to perform more detailed performance analysis of historical MEASURE data?

- A. SPAM
- B. XRAY
- C. OSM
- D. NSX

Answer: A

4.What is the maximum number of logical processors that can be configured in an Integrity NonStop NB50000c system using dual-core Itanium processors?

- A. 4
- B. 8
- C. 16
- D. 32

Answer: C

5.HP NonStop Integrity BladeSystems provide disk connectivity using a Storage Cluster I/O Module (CLIM). How is this different from all previous disk connectivity methods?

- A. The disk controller executes in parallel across the CPUs.
- B. The disk access is fault tolerant.
- C. The low-level disk driver software is not supported by HP.
- D. The low-level disk driver runs outside the NonStop operating system.

Answer: D

6.The TNS/E compiler output consists of Itanium instructions designed to be executed on an Itanium IPU. What is the file code number?

- A. 100
- B. 101
- C. 700

D. 800

Answer: D

7.How is the Integrity NS2000 system different from the Integrity NS16000 system? (Select two.)

A. NS2000 uses Itanium multi-core processors.

B. NS2000 uses IOAME .

C. NS2000 uses Triple Modular Redundancy (TMR).

D. NS16000 uses Hnn.xx operating system releases. E. NS16000 uses VIO .

Answer: A,D

8.Which utility is used to set the number of ServerNet connections per fabric between a CLIM and each ServerNet switch?

A. SCF

B. OSM Low-Level Link (LLL)

C. OSM service connection (SC)

D. CLIMCOM

Answer: B

9.What is the minimum number of OSM workstations that should be connected to a single maintenance LAN with Low-Level Link connectivity?

A. 1

B. 2

C. 4

D. 10

Answer: A

10.What is the maximum number of Expand line-handler processes each NS-series system can have in an Expand network?

A. 16

B. 256

C. 255

D. 32

Answer: C