



ITTEST

QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

Exam : HP0-J49

**Title : Designing and Implementing
HP Cloud Solutions using
HP 3PAR**

Version : Demo

1.What is a key advantage of an HP 3PAR solution?

- A. The solution is designed primarily as a cloud offering.
- B. It uses finely granular distribution across an entire disk group.
- C. Data is distributed across entire RAID sets.
- D. Storage can be provisioned in as few as two commands.

Answer: D

2.Which user privileges are needed to create tasks to be initiated by the System Scheduler using the CLI.?
(Select two.)

- A. Super
- B. Browse
- C. Edit
- D. Service
- E. Admin

Answer: A,D

3.You are in a meeting with a customer and they have asked if the 3PAR storage array is a good fit for them. Which customer needs are best met by the 3PAR architecture?

- A. the customer that has random I/O workload and wants to achieve greater VM density
- B. the customer whose primary requirement is sequential performance
- C. the customer with a large data warehouse application
- D. the customer with long term image archiving requirements

Answer: C

4.When deploying a F400 with a single magazine in the chassis, what is the minimum upgrade building block allowed in an F-Class?

- A. There must be the same types of drives as in the initial system.
- B. A minimum of two ports for backend disk connectivity is required.
- C. There must be the same number of drives as the initial system.
- D. An upgrade must be performed with a minimum of eight drives.

Answer: A

5.Which statement is true about Virtual Lock on an HP 3PAR array?

- A. Virtual Lock functionality is included in the base product.
- B. Virtual Lock sets a read-only flag to a volume to prevent overwriting the volume. However, it can be deleted.
- C. Virtual Lock prevents a volume from being deleted intentionally or unintentionally before the retention period elapses.
- D. Virtual Lock can be used to specify the retention period for each volume, but not a copy of a volume.

Answer: C

6.Which 3PAR InForm additional software provides savings on \$/IOPS and \$/GB?

- A. System Tuner
- B. Virtual Domains

C. Adaptive Optimization

D. Thin Persistence

Answer: C

7. When adding disk drives to a T-class drive chassis, how many drives must be added at the same time?

A. 2

B. 4

C. 8

D. 16

Answer: B

8. Which storage-as-a-utility benefit does the HP 3PAR solution offer?

A. consistent performance across mixed workloads

B. Ingress data deduplication

C. configurations for archiving and D2D backup

D. lowest cost per gigabyte

Answer: B

9. What are the minimum HP Care Pack Services for customers purchasing an HP 3PAR T-Series Array? (Select two.)

A. HP Data Migration Service

B. 3-Year HP Support Plus w/DMR

C. 3-Year HP Support Plus 24

D. HP 3PAR Storage System Installation and Startup Service

E. 3-Year HP Critical Service

Answer: C,D

10. Which feature of the InForm operating system provides adaptable volume reconfiguration?

A. Autonomic Groups

B. Virtual Lock

C. Host Personas

D. Dynamic Optimization

Answer: D

11. Which statement is correct when implementing Many-to-One Remote Copy?

A. Only asynchronous periodic mode is supported.

B. A minimum of two controllers are required per InServ per site.

C. Up to two target sites are supported.

D. The maximum support is six InServes to one.

Answer: B

12. When creating a CPG (Common Provisioning Group) on an HP 3PAR array, what is the minimum information you need to provide to the system? (Select two.)

A. device type

- B. volume group
- C. domain
- D. CPG name
- E. host name

Answer: A,D

13.A system engineer implemented Remote Copy between two F-400 systems. For which entity can a failover be initiated?

- A. domain group
- B. controller node
- C. entire system
- D. domain

Answer: C

14.Which statement is true about the creation of virtual copies on an HP 3PAR array?

- A. A maximum of 1024 virtual copies of each virtual volume is allowed.
- B. It is only possible to create a read-only copy of a read-only volume.
- C. A read-only copy can have multiple read/write virtual copies.
- D. A read-only copy is automatically created when utilizing the InForm GUI.

Answer: D

15.A system engineer installs the System Reporter in a customer environment. Which databases can be used with System Reporter? (Select two.)

- A. MySQL
- B. MS SQL
- C. Informix
- D. Oracle
- E. Progress

Answer: A,D