



# ITTEST

## QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

**Exam : HP0-Y22**

**Title : Implementing HP ProCurve  
MultiService**

**Version : Demo**

1. What is true regarding the CNMS 200 product? (Select two.)

- A. automatic discovery of network components
- B. restricts the use of remote management from a Web browser
- C. supports a maximum of 1000 Access Points
- D. requires Red Hat Enterprise Linux 5.0 or CentOS 5.0 operating system
- E. hardware platform requires at least 2 Gigabytes of memory

**Answer: AD**

2. You have powered on your MSM760 Controller and the power light indicator is on steady indicating that your MSM760 is operational. You notice that the LED on the right side of the LAN port (port 2) is on solid. What does this indicate?

- A. The port is transmitting and receiving packets.
- B. There is no Ethernet link.
- C. There is a link but there is no transmit and receive activity.
- D. A fault has occurred on this Ethernet port.

**Answer: C**

3. What are the two types of Local Mesh methods?

- A. autonomous; controlled
- B. indoor; outdoor
- C. short distance; long distance
- D. static; dynamic

**Answer: D**

4. How many Virtual Service Communities (VSCs) does the M110 support?

- A. 1
- B. 2
- C. 3
- D. 4

**Answer: B**

5. Which MSM310/320/325 Ethernet port or ports can be used to supply the device with PoE?

A.port 2

B.LAN port

C.port 1

D.Internet port

**Answer: C**