



ITTEST

QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

Exam : **HP0-Y42**

Title : **Implementing HP
TippingPoint Solutions**

Version : **Demo**

1. Click the Exhibit button.

```
2400E# show np rule-stats
```

Filter	Flows	Success	% Total	% Success	Zoneless	% Zoneless
8915	2289	0	19	0.00	0	0
6375	1132	0	9	0.00	0	0
1380	990	0	8	0.00	0	0
657	926	463	7	50.00	0	0
1450	507	335	4	66.07	0	0
3740	507	0	4	0.00	0	0
1130	377	0	3	0.00	0	0
1129	377	337	3	89.38	0	0
588	370	370	3	100.00	0	0
5456	330	0	2	0.00	0	0
6545	330	0	2	0.00	0	0
5457	330	0	2	0.00	0	0
6515	330	0	2	0.00	0	0
4616	330	0	2	0.00	0	0
1365	330	0	2	0.00	0	0
1698	206	103	1	50.00	0	0
1279	180	0	1	0.00	0	0
495	180	0	1	0.00	0	0
1117	180	0	1	0.00	0	0
1109	180	0	1	0.00	0	0
Total of 11930 flows						

Which filters share the same trigger? (Select two.)

- A. 1129 and 8915
- B. 5456, 6545, 5457, 6515, 4616, 1365
- C. 657, 1450, 3740 and 588
- D. 1129, 1117, 1109
- E. 495, 1117, 1109

Answer: B,E

2. Click the Exhibit button.

```
2400E# show np rule-stats
```

Filter	Flows	Success	% Total	% Success	Zoneless	% Zoneless
8915	2289	0	19	0.00	0	0
6375	1132	0	9	0.00	0	0
1380	990	0	8	0.00	0	0
657	926	463	7	50.00	0	0
1450	507	335	4	66.07	0	0
3740	507	0	4	0.00	0	0
1130	377	0	3	0.00	0	0
1129	377	337	3	89.38	0	0
588	370	370	3	100.00	0	0
5456	330	0	2	0.00	0	0
6545	330	0	2	0.00	0	0
5457	330	0	2	0.00	0	0
6515	330	0	2	0.00	0	0
4616	330	0	2	0.00	0	0
1365	330	0	2	0.00	0	0
1698	206	103	1	50.00	0	0
1279	180	0	1	0.00	0	0
495	180	0	1	0.00	0	0
1117	180	0	1	0.00	0	0
1109	180	0	1	0.00	0	0
Total of 11930 flows						

The action set for filter 657 is set to lock + Notify + Email.?How can you alter the filter to improve performance without affecting security.?

- A. Disable the filter and configure a Traffic Management Rule.
- B. Change the action set for filter 657 to "Block."
- C. Turn on Packet Capture for filter 657 to analyze the behavior of the traffic.
- D. Turn off the filters that reside above 657 (6545, 6515, 5457 and 5456) in order to move filter 657 to the top of the list.

Answer: B

3. Where does the TSE apply a rate-limit?

- A. Header Processing
- B. Threat Verification
- C. Flow Control
- D. Flow Table

Answer: C

4. What is the purpose of HP TippingPoint SMS named resources?

- A. They enable Active Directory to authenticate log in requests.
- B. They allow you to easily identify source and destination in Events.
- C. They hide you from specified external resources.
- D. They enable RADIUS to authenticate log in requests.

Answer: B

5. Time synchronization between an HP TippingPoint IPS and SMS is a default requirement when a new management connection is configured. Which statement best describes the reason for this requirement?

- A. Time synchronization is required for the secure management connection between the IPS and SMS.
- B. Time synchronization is required for the SNMP connection between the IPS and SMS.
- C. Time synchronization is required for the database connection in the SMS.
- D. Time synchronization is required for accurate reporting between the IPS and SMS.

Answer: D