



ITTEST

QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

Exam : JN0-103

**Title : Juniper Networks Certified
Associate, Junos
(JNCIA-Junos)**

Version : DEMO

1.Which two commands would you use to reset the candidate configuration to the active configuration?

(Choose two.)

- A. rollback 0
- B. rollback 1
- C. rollback 2
- D. rollback

Answer: A,D

2.Referring to the exhibit, what happens when ping packets are sent to management interface address of the local router?

```
[edit firewall family inet]
user@router# show
filter protect-RE-1 {
  term 1 {
    from {
      protocol icmp;
    }
    then accept;
  }
}
filter protect-RE-2 {
  term 1 {
    from {
      protocol icmp;
    }
    then reject;
  }
}

[edit interfaces lo0]
user@router# show
unit 0 {
  family inet {
    filter {
      input-list [protect- RE-1 protect-RE-2];
    }
    address 192.168.2.1/32;
  }
}

[edit interfaces ge-0/0/0]
user@router# show
description "Management Interface";
unit 0 {
```

- A. The ping packets are silently discarded
- B. An ICMP unreachable message is returned
- C. The Ping packets are accepted
- D. An ICMP redirect message is returned

Answer: D

3.Which two conditions must exist in a Junos device for traffic to transit the device to a specific destination?

Choose Two

- A. A forwarding table entry for that destination must exist
- B. A routing policy must be in place on the device

- C. A firewall filter must exist to allow traffic to reach that destination
- D. A routing table entry for that destination must exist

Answer: A,D

4.What is the maximum number of configurations, by default, that are recoverable using the rollback command?

- A. 50
- B. 25
- C. 100
- D. 75

Answer: A

5.Which two features are implemented on the Packet Forwarding Engine? (Choose Two)

- A. Chassis Management
- B. Firewall Filters
- C. Class of Service
- D. Routing protocol update

Answer: B,C