



# ITTEST

## QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

**Exam : JN0-1300**

**Title : Juniper Networks Certified  
Design Specialist, Data  
Center**

**Version : DEMO**

1.What are two valid types of software-defined networking architectures? (Choose two.)

- A. hardware-based
- B. controller-based
- C. policy-based
- D. actuation-based

**Answer:** B, C

2.Your customer wants to implement better quality of service for multiple mission critical applications. How many bits of the Differentiated Services (DiffServ) field of a packet would be used as code-points to achieve this goal?

- A. eight
- B. two
- C. six
- D. ten

**Answer:** C

3.The Junos Fusion architecture is comprised of which two components? (Choose two.)

- A. interconnect devices
- B. satellite devices
- C. node devices
- D. aggregation devices

**Answer:** B, D

Explanation:

The Junos Fusion architecture consists of two major components: “Aggregation” devices and “Satellite” devices, which Juniper also calls Linux Forwarding Engines (LFEs). These components work together as a single switching system,flattening the network to a single tier without compromising resiliency.

Explanation: <https://www.juniper.net/assets/us/en/local/pdf/whitepapers/2000610-en.pdf>

4.Which control plane protocol does EVPN use for MAC address mobility?

- A. VPLS
- B. STP
- C. MP-BGP
- D. E-LAN

**Answer:** A

5.You are asked to deploy Spotlight Secure to help secure the data center. What are three required components for this deployment? (Choose three.)

- A. Juniper threat feeds
- B. custom security feeds
- C. SRX Series devices
- D. Spotlight Connector VM
- E. Security Director

**Answer:** A, C, D

Explanation: <https://www.juniper.net/assets/kr/kr/local/pdf/datasheets/1000427-en.pdf>