




ITTEST

QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

Exam : **JN0-320**

Title : Juniper Networks Certified
Juniper DX (DXAP)
Associate Exam

Version : Demo

1. How does the Juniper DX accelerate web servers?

- A. by translating HTTP requests to HTTPS
- B. by refusing client connections that are unnecessarily refreshed by end users
- C. by multiplexing numerous client-side connections to fewer server-side connections
- D. by multiplexing numerous server-side connections to fewer client-side connections

Answer: C

2. Which two benefits does the Juniper DX provide? (Choose two.)

- A. It compresses all images.
- B. It protects servers from DDoS attacks.
- C. It protects servers from SynFlood attacks.
- D. It loads all content from web servers to flash.

Answer: BC

3. Which statement is true when you enable SSL for the WebUI?

- A. SSL is enabled for the WebUI by default.
- B. You must address the WebUI using HTTPS://.
- C. You must change the WebUI port when enabling SSL.
- D. The demokey and democert are applied to the WebUI by default.

Answer: B

4. Which two functions require the use of the CLI? (Choose two.)

- A. adding a VLAN
- B. adding a cluster
- C. running a tcpdump
- D. adding a target server

Answer: AC

5. Which statement is true when logging in using the WebUI?

- A. Port 80 for HTTP is enabled by default.

- B. Port 443 for HTTPS is enabled by default.
- C. Port 8090 for HTTP is enabled by default.
- D. Both HTTP and HTTPS are enabled using their standard port values.

Answer: C

6. You are configuring the DX appliance for the first time using the console. Which two configuration values can be set using the first time configuration screen? (Choose two.)

- A. the user role
- B. the ether0 IP address
- C. the default route for this DX appliance
- D. the address of a network TFTP server

Answer: BC

7. When adding a new user and assigning a role, which user role has "read only" rights to the configuration and operational states?

- A. user
- B. read_only
- C. target_operator
- D. security_operator

Answer: A

8. What do you need to upgrade the DXOS?

- A. an upgrade .gz file placed on your FTP server
- B. an upgrade .tar file placed on your SCP server
- C. an upgrade .pac file placed on your TFTP or SCP server
- D. an upgrade CD provided by your Juniper Networks representative

Answer: C

9. From the DX WebUI Dashboard, which steps are used for creating a new admin user?

- A. Click Admin > Users. Enter username, password, role, account status, and email.

- B. Click Admin > Users. Enter username, password, role, account status, and user class.
- C. Click Users > Manage Users. Enter username, password, role, account status, and user class.
- D. Click Users > Manage Users. Enter username, password, ActiveDirectory domain, account status, and role.

Answer: B

10. In which two situations should you run the command sync group? (Choose two.)

- A. when you enable Unified Failover
- B. when you create an ActiveN group
- C. when you synchronize the sticky table
- D. when you require synchronization of the 3G Cache objects

Answer: AB

11. Which protocols are used to export and import configurations?

- A. FTP or SCP
- B. FTP or TFTP
- C. TFTP or SCP
- D. TFTP or SMTP

Answer: C

12. What are three Juniper DX Cluster benefits? (Choose three.)

- A. performance
- B. authorization
- C. compression
- D. protocol validation
- E. UDP load balancing

Answer: ACD

13. Which three statistics are available when viewing the Cluster statistics page? (Choose three.)

- A. AppRule counters

- B. new SSL sessions
- C. connections to target server
- D. total number of 200 responses
- E. average download time per page

Answer: BCD

14. What are two valid Cluster load balancing methods? (Choose two.)

- A. urlhash
- B. backup chaining
- C. least connections
- D. fewest outstanding requests

Answer: AD

15. An enterprise has a web application running both HTTP and HTTPS. How many Clusters must be created?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: B

16. For a Juniper DX Cluster, what is a basic target server health check?

- A. ping
- B. TCP health check
- C. Layer 7 health check
- D. request HTTP default page

Answer: B

17. Which statement is true about "sticky" load balancing for Clusters?

- A. The "clientip" setting does not apply to clusters, it only pertains to a Forwarder.

- B. When set to "clientip" it uses the client's IP address to bind the client to a particular target server.
- C. When set to "clientip" it allows a DX sticky cookie to be sent to and stored by the client based on the IP address.
- D. When set to "clientip" it ensures that all subsequent requests are directed to the same client that made the initial request.

Answer: B

18. How do you disable a server from Juniper DX Cluster without terminating active client requests?

- A. Delete the server.
- B. "Soft pause" the target server.
- C. "Hard pause" the target server.
- D. Create a new Cluster without the server.

Answer: B

19. An enterprise has an internal web application that needs stickiness managed by a Cluster. All employees access the application through a proxy. What is the correct sticky load balancing policy?

- A. urlhash
- B. url persistency
- C. cookie persistency
- D. default persistency

Answer: C

20. Which two statistical data types are available on the statistics page of the WebUI? (Choose two.)

- A. cache statistics
- B. client browser type
- C. server response time
- D. HTTP response codes

Answer: BD