



ITTEST

QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

Exam : M70-301

Title: Magento Front End
Developer Certification
Exam

Version : Demo

1.Which of the following is the correct code for assigning a custom template file using layout XML?

- A. `<block type="core/text_list" name="custom.template" template=" folder/custom_template.phtml"/>`
- B. `<block type="core/template" name="custom template" template=" folder/custom_template.phtml"/>`
- C. `<block type="block/template" name="custom template" template=" folder/custom_template.phtml"/>`
- D. `<block type="cms/block" name="custom.template" template=" folder/custom_template.phtml"/>`
- E. `<block type="block/html" name="custom template" template=" folder/custom_template.phtml"/>`

Answer: B

2.You want to create a wrapper block that uses an HTML tag name which is set by the action setHtmlTagName. The wrapper block should render all its child blocks within the HTML tag.

Which block type should you use to create the wrapper block?

- A. page/html
- B. page/wrapper
- C. page/div wrapper
- D. page/html_wrapper

Answer: D

3.You want to figure out which phtml-files are rendering in the front end.

Which developer tool helps you do that?

- A. Profiler
- B. Exception.log
- C. Block Class Names
- D. Template Path Hints
- E. System.log

Answer: D

4.Which is the correct order of the three types of translations by priority (1 = highest, 3 = lowest)?

- A. 1. Database (Inline) translation
2. Module translation
3. Theme translation
- B. 1. Database (Inline) translation
2. Theme translation
3. Module translation
- C. 1. Module translation
2. Database (In line) translation
3. Theme translation
- D. 1. Theme translation
2. Database (In line) translation
3. Module translation

Answer: B

5.Which piece of code creates a url that links to the store pages in transactional email templates?

- A. {{store url= “ ”}}
- B. {{ store_page url= “ ” }}
- C. {{ store_url= “ ” }}
- D. {{ store_name url= “ ” }}

Answer: A

6.Your project, which uses prototype.js, contains the JavaScript class Photoviewer (see EXAMPLE, below).

Which one of the following code samples will create a class called AdvancedPhotoViewer that extends Photoviewer r?

EXAMPLE: var PhotoViewer = Class.create();

- A. var AdvancedPhotoViewer = new PhotoViewer()
- B. AdvancedPhotoViewer.prototype = Object.extend (new PhotoViewer ()
- C. var AdvancedPhotoViewer = Class.extend (PhotoViewer)
- D. AdvancedPhotoViewer = PhotoViewer.extend ()

Answer: B

7.Which element in layout XML specifies a method to be called on a referenced or newly defined block?

- A. <action>
- B. <call>
- C. <change>
- D. <method>
- E. <update>

Answer: A

8.Which one of these code samples will assign a root template to a specific page of native Magento?

A.

```
<default>
  <reference name="catalog_product_view">
    <action method="setTemplate">
      <template>page/3columns.phtml"</template></action>
    </reference>
  </default>
```

B.

```
<cms_index_index>
  <reference name="default">
    <action method="setTemplate">
      <template>page/3columns.phtml"</template></action>
    </reference>
  </cms_index_index>
```

C.

```
<customer_account_login>
  <reference name="template">
    <action method="setTemplate">
      <template>page/3columns.phtml"</template></action>
    </reference>
  </customer_account_login>
```

D.

```
<catalog_product_view>
  <reference name="root">
    <action method="setTemplate">
      <template>page/3columns.phtml"</template></action>
    </reference>
  </catalog_product_view>
```

Answer: D

9.You want to create a new "screendesign" package based on the "default" package's "default" theme. Which ONE of the following steps do you have to take?

- A. Copy app/design/base to app/design/screendesign
- B. Create an empty folder app/design/frontend/screendesign and copy app/design/frontend/default/default into it
- C. Create skin/frontend/screendesign, then copy the CSS and images folders and their files from /skin/frontend/default/default/ to skin/frontend/screendesign/default
- D. Inside app/design/frontend and skin/frontend, copy the folder "default" to the folder "custom"; then rename custom/default to custom/screendesign in both places
- E. Create app/design/frontend/default/screendesign

Answer: C

10.Which ONE of the following adds links to the top links navigation?

A.

```
<block name="top.links" type="page/template_links">
  <mylink>
    <label>I HAS A SHOP</label>
    <url>http://magento.com</url>
    <title>ITZ A MAGENTO</title>
  </mylink>
</block>
```

B.

```
<action method="addLink" block="top.links">
  <label>I HAS A SHOP</label>
  <url>http://magento.com</url>
  <title>ITZ A MAGENTO</title>
</action>
```

C.

```
<reference name="top.links">
  <link>
    <label>I HAS A SHOP</label>
    <url>http://magento.com</url>
    <title>ITZ A MAGENTO</title>
  </link>
</reference>
```

D.

```
<update handle="top.links" method="addLink">
  <label>I HAS A SHOP</label>
  <url>http://magento.com</url>
  <title>ITZ A MAGENTO</title>
</update>
```

Answer: B

11. When a block of type _____ is rendered, all its child blocks are rendered automatically, without the need to call the getChildHtml () method.

- A. Page/html
- B. Core/template
- C. Core/text_list
- D. Page/html_wrapper

Answer: C

12. Which is the correct type attribute for a structural block?

- A. core/block
- B. core/html_wrapper
- C. core/text
- D. core/text_list

Answer: D

13. Within a Magento instance configured to use the package name "my_package" and the theme name "my_theme", which file would override the default catalog search template?

- A. app/frontend/base/my_package/my_theme/template/catalogsearch/form.mini.phtml
- B. app/design/frontend/base/default/template/customsearch/form.mini.phtml
- C. app/design/frontend/my_theme/my_package/template/catalogsearch/custom.form.mini.phtml
- D. app/design/frontend/my_package/my_theme/template/catalogsearch/form.mini.phtml
- E. app/frontend/default/my_theme/customsearch/form.mini.phtml

Answer: D

14. You have added some HTML to a custom template located at "template/mytemplates/custom.phtml". Which code snippet is the correct way to create a block for custom.phtml in the layout XML?

- A. <block type="core/template" name="custom" template="mytemplates/custom.phtml"/>
- B. <block type="core/template" name="custom" template="template/mytemplates/ custom.phtml"/>
- C. <block type="custom1" name="custom" template="template/mytemplates/ custom.phtml"/>

D. <block type="custom" name="custom" template="mytemplates/custom.phtml"/>

Answer: A

15. You need to add a custom structural block template to a block that will render all children automatically. Which three attributes are required in the block's XML definition? (Choose THREE.)

A. after

B. as

C. before

D. name

E. template

F. type

Answer: D, E, F