



ITTEST

QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!




Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

Exam : MO-200

Title : Microsoft Excel (Excel and Excel 2019)

Version : DEMO



Question	Answer	Explanation
1. Which of the following is a valid IPv4 address?	192.168.1.1	192.168.1.1 is a valid IPv4 address. It consists of four octets separated by dots, each ranging from 0 to 255.
2. Which of the following is a valid IPv6 address?	2001:0db8:0000:0000:0000:0000:0000:0000	2001:0db8:0000:0000:0000:0000:0000:0000 is a valid IPv6 address. It consists of eight groups of four hexadecimal digits separated by colons.
3. Which of the following is a valid MAC address?	08:00:2B:01:02:03	08:00:2B:01:02:03 is a valid MAC address. It consists of six groups of two hexadecimal digits separated by colons.
4. Which of the following is a valid FQDN?	www.example.com	www.example.com is a valid FQDN. It consists of a host name (www) followed by a domain name (example.com).
5. Which of the following is a valid email address?	john.doe@example.com	john.doe@example.com is a valid email address. It consists of a local part (john.doe) followed by a domain part (example.com).
6. Which of the following is a valid URL?	http://www.example.com	http://www.example.com is a valid URL. It consists of a protocol (http) followed by a domain (www.example.com).
7. Which of the following is a valid IP address for a loopback interface?	127.0.0.1	127.0.0.1 is a valid IP address for a loopback interface. It is used to test network connectivity on the local machine.
8. Which of the following is a valid IP address for a multicast group?	224.0.0.1	224.0.0.1 is a valid IP address for a multicast group. It is used for one-to-many communication.
9. Which of the following is a valid IP address for a broadcast address?	255.255.255.255	255.255.255.255 is a valid IP address for a broadcast address. It is used to send data to all devices on the network.
10. Which of the following is a valid IP address for a private network?	10.0.0.1	10.0.0.1 is a valid IP address for a private network. It is used for internal network communication.
11. Which of the following is a valid IP address for a public network?	8.8.8.8	8.8.8.8 is a valid IP address for a public network. It is used for external network communication.
12. Which of the following is a valid IP address for a reserved address?	0.0.0.0	0.0.0.0 is a valid IP address for a reserved address. It is used to represent an unspecified address.
13. Which of the following is a valid IP address for a link-local address?	fe80::1	fe80::1 is a valid IP address for a link-local address. It is used for communication between devices on the same link.
14. Which of the following is a valid IP address for a site-local address?	fec0::1	fec0::1 is a valid IP address for a site-local address. It is used for communication between devices on the same site.
15. Which of the following is a valid IP address for a global address?	2001:db8::1	2001:db8::1 is a valid IP address for a global address. It is used for communication between devices on the same global network.
16. Which of the following is a valid IP address for a unique local address?	fc00::1	fc00::1 is a valid IP address for a unique local address. It is used for communication between devices on the same unique local network.
17. Which of the following is a valid IP address for a multicast address?	ff00::1	ff00::1 is a valid IP address for a multicast address. It is used for one-to-many communication.
18. Which of the following is a valid IP address for a broadcast address?	ff02::1	ff02::1 is a valid IP address for a broadcast address. It is used to send data to all devices on the network.
19. Which of the following is a valid IP address for a private network?	10.0.0.1	10.0.0.1 is a valid IP address for a private network. It is used for internal network communication.
20. Which of the following is a valid IP address for a public network?	8.8.8.8	8.8.8.8 is a valid IP address for a public network. It is used for external network communication.

CORRECT TEXT

On the "Prices" worksheet, in the "inventory Notice" column, use a function to display "Low" if the "inventory Level %" is below 15%. Otherwise, leave the "Inventory Notice" blank.

Answer:

=IF(inventory level<15%), "low", ""). Select and drag to apply to other rows

2.CORRECT TEXT

On the "Prices" worksheet, apply the Title style to cell A1.

Answer:

Home Tab/ Styles group/ cell styles

3.CORRECT TEXT

On the "Orders" worksheet, filter the table data to display only the orders from "Alpine SKI House."

Answer:

On the data tab, click filter. Display only alpine.

4.CORRECT TEXT

On the "Prices" worksheet, in the "Tax column, enter a formula that multiplies the value in the "Unit Price" column by cell L2.

Answer:

5.CORRECT TEXT

On the "Inventory" chart sheet, insert a chart title above the chart, at the top of the plot area. Display the percentage values as data labels to the right of each data bar.

Answer:

Click chart, press layout, click chart title and add it. Press add chart element, data labels, more detailed options, uncheck value and check percentage.