



# ITTEST

## QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

**Exam : Magento 2 Certified  
Associate Developer**

**Title : Magento 2 Certified  
Associate Developer**

**Version : DEMO**

1.Products may be accessed using SEO friendly URLs like /my-product instead of /catalog/product/view/id/ {ID}

How is this one?

- A. An event observer adds RewriteRules to .htaccess on product save
- B. Magento\Catalog\Controller\Product\View::loadByUrlKey loads product pages using the url\_key attribute value
- C. Using a URL Rewrite stored in the database connecting the request path with the target path
- D. A plugin on \Magento\UrlRewrite\Controller\Router::match loads products by the url\_key attribute

**Answer: C**

2.You are setting up a brand new Magento installation for a merchant who is migrating from Magento 1 to Magento 2.

Keeping in mind upgradability and the need to customize, which one do you choose?

- A. Create a new Magento instance using composer create-project
- B. Clone the magento/magento2GitHub repository
- C. Run php bin/magento setup:migrate <path-to-m1-installation> <new-version>command
- D. Create a new Magento instance by using the bin/magento installcommand

**Answer: C**

3.How many shipping addresses may be selected for an order during the checkout process?

- A. One shipping address per line item is possible
- B. Only one shipping address per order is possible
- C. One shipping addresses per unit of quantity is possible
- D. One shipping address per product type is possible

**Answer: B**

**Explanation:**

Reference: [https://docs.magento.com/m2/ce/user\\_guide/sales/checkout-step1-shipping.html](https://docs.magento.com/m2/ce/user_guide/sales/checkout-step1-shipping.html)

4.You have created a new section in system configuration under the Catalog tab:

```
<section id="mysection" translate="label" sortOrder="90" showInDefault="1"
showInWebsite="1" showInStore="1">
  <label>My Section</label>
  <tab>catalog</tab>
  ...
</section>
```

How do you restrict an access to the section using Magento ACL?

A)

In the system.xml file add resource node:

```
<section id="mysection" translate="label" sortOrder="90" showInDefault="1"
showInWebsite="1" showInStore="1">
  <label>My Section</label>
  <tab>catalog</tab>
  <resource>MyCompany_MyModule::mysection</resource>
  ...
</section>
```

B)

In the file etc/acl.xml create a resource entry:

```
Magento_Backend::admin > Magento_Backend::stores >
  Magento_Backend::stores_settings > Magento_Config::mysection
```

C)

In the etc/adminhtml/routes.xml add:

```
<router id="admin">
    <route id="catalog" frontName="mysection">
        <module name="MyCompany_MyModule" before="Magento_Backend" />
        <resource>MyCompany_MyModule::mysection</resource>
    </route>
</router>
```

D)

In the etc/adminhtml/menu.xml specify:

```
<add id="MyCompany_MyModule::mysection" title="My Section" translate="title"
    module="MyCompany_MyModule" sortOrder="10"
    parent="Magento_Config::stores_settings"
    action="system_config/edit/section/mysection/"
    resource="MyCompany_MyModule::mysection"
/>
```

**Answer: B**

**Explanation:**

Reference: <https://www.mageplaza.com/magento-2-module-development/magento-2-acl-access-control-lists.html>

5.A module you are working on needs to send a newsletter to all subscribed customers at predefined intervals.

Which two actions do you take to make sure the newsletter is sent? (Choose two.)

- A. Implement \MyCompany\MyModule\Cron\NewsletterSender::executeand register it in etc/crontab/di.xml
- B. Implement \MyCompany\MyModule\Cron\NewsletterSender::executeand register it in etc/crontab/.xml
- C. Make sure bin/magento cron:runis added to the system crontab
- D. Register the plugin for \Magento\Customer\Model\Customer::authenticatein etc/crontab.xml

**Answer: BC**