



# ITTEST

QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

**Exam** : **NR0-014**

**Title** : Teradata Administration  
v2r5 Exam

**Version** : DEMO

**1.Which statement is true about the TDP command SET MAXSESS?**

- A.The number of sessions is constrained for the TDP.
- B.A change to MAXSESS only takes effect at TDP startup.
- C.The allowable values must equal a multiple of the PE session limit.
- D.It changes the maximum number of sessions supported by the Teradata server.

**Correct:A**

**2.What enables logons to the RDBMS via the gateway?**

- A.RUN GTW
- B.ENABLE GTW
- C.ENABLE LOGONS
- D.START SESSIONS

**Correct:C**

**3.What are two benefits of session pools? (Choose two.)**

- A.Logon times are typically 2-3 seconds faster.
- B.The number of sessions a user can log on is controlled.
- C.They allow better tracking of when applications log on and log off.
- D.If all sessions are active, the next pool is used regardless of the logon string.

**Correct:A B**

**4.What happens when a host group's session limit is exceeded and another user tries to log on?**

- A.The user's connection is refused and the user receives an error message.
- B.The user's connection is refused and the user does not receive an error message.
- C.The user receives an error message and is logged on to the next host group.
- D.The user does not receive an error message and is logged on to the next host group.

**Correct:A**

**5.What are two effective ways of limiting the growth of the AccessRights table? (Choose two.)**

- A.assign users to one or more roles
- B.grant all privileges at the database level
- C.grant all necessary privileges to each user on individual database objects
- D.ensure that all users belong to a profile and inherit the profile's access rights

**Correct:A B**

**6.What default value is assigned as the user's default database if no value is specified in the user's profile parameter or the CREATE USER statement?**

- A.a NULL value
- B.database DBC
- C.the user's username
- D.the default database of the user's parent

**Correct:C**

**7.Which two statements are true about ownership privileges? (Choose two.)**

- A.They must be explicitly granted.
- B.They cannot be explicitly revoked.
- C.They cannot be taken away unless ownership is transferred.
- D.They can be explicitly revoked by the Database Administrator.

**Correct:B C**

**8.Which statement removes the profile Acct\_User from UserA?**

- A.DROP USER UserA;
- B.MODIFY USER UserA AS PROFILE=NULL;
- C.REMOVE USER UserA FROM PROFILE Acct\_User;
- D.MODIFY PROFILE Acct\_User AS ACCOUNT=NULL;

**Correct:B**

**9.The database administrator created User A and assigned that user 90 MB of spool. A month later, the database administrator creates Profile B with 50 MB of spool. User A is then assigned to Profile B. Which system view would you use to determine how much spool User A now has access to?**

- A.DBC.Users
- B.DBC.ProfileInfo
- C.DBC.SessionInfo
- D.DBC.Accountinfo

**Correct:B**

**10.Which is updated when you change password features such as expiration, reuse, minimum and maximum length?**

- A.DBC.Users
- B.DBC.LogOnOff
- C.DBC.LogonRules
- D.DBC.SysSecDefaults

**Correct:D**

**11.User A creates Database X. Which three rights are automatically granted to User A on Database X? (Choose three.)**

- A.CREATE USER
- B.CREATE TABLE
- C.CREATE INDE X
- D.CREATE DATABASE
- E.CREATE REFERENCES

**Correct:A B D**

**12.Which clause in a CREATE VIEW statement restricts the rows in a table that can be inserted by users?**

- A.USING
- B.WHERE
- C.SELECT
- D.WITH CHECK OPTION

**Correct:D**

**13.What is the maximum number of levels a role can be nested?**

- A.one
- B.two
- C.There is no limit on the number of nested levels.
- D.The limit is determined by the default system setting.

**Correct:A**

**14.Which two clauses in a CREATE VIEW statement restrict the rows in a table that can be updated by users? (Choose two.)**

- A.USING
- B.WHERE
- C.SELECT
- D.WITH CHECK OPTION

**Correct: B D**

**15.A DROP USER command is issued on a user who is assigned to a role. From which two system tables are rows deleted? (Choose two.)**

- A.DBC.AMPUsage
- B.DBC.RoleGrants
- C.DBC.SessionInfo
- D.DBC.AccessRights

**Correct: B D**

**16.Which system view provides information on the amount of permanent disk space currently in use at the table level?**

- A.DBC.Tables
- B.DBC.SysInfo
- C.DBC.TableSize
- D.DBC.DiskSpace

**Correct: C**

**17.Which type of archive allows you to archive secondary indexes?**

- A.index archive
- B.all-AMP archive
- C.single-AMP archive
- D.single cluster archive

**Correct: B**

**18.Which two statements about Permanent Journals are true? (Choose two.)**

- A.Permanent Journals must be Fallback.
- B.Permanent Journals replace Fallback protection.
- C.Multiple data tables can share one Permanent Journal.
- D.Multiple Permanent Journals can be used by one data table.
- E.Data tables in one database can use Permanent Journals in other databases.

**Correct: C E**

**19.Where are the Fallback rows for AMP 0 stored?**

- A.on all other AMPs in the system
- B.on PEs in the same clique as AMP 0
- C.on PEs in the same cluster as AMP 0
- D.on other AMPs in the same clique as AMP 0
- E.on other AMPs in the same cluster as AMP 0

**Correct: E**

**20.Which three occur when the EMPLOYEE ALL clause in the Archive utility is used? (Choose three.)**

- A.All tables in database EMPLOYEE are archived.
- B.Database EMPLOYEE and all its descendants are archived.
- C.All databases with the root name EMPLOYEE are archived.

D.All tables, views, and macros in database EMPLOYEE are archived.

E.Only database EMPLOYEE and its immediate descendants are archived.

**Correct:A B D**