



ITTEST

QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

Exam : NS0-170

**Title : Network Appliance
NetCache**

Version : Demo

1. A complete listing of Network Appliance support centers is available at _____.

- A. www.netapp.com
- B. [ftp.netapp.com](ftp://ftp.netapp.com)
- C. now.netapp.com
- D. NetCache online help

Answer: C

2. The NetCache appliance may be used for all of the following EXCEPT _____.

- A. HTTP URL filtering
- B. SMTP proxy
- C. DNS caching
- D. NFS caching

Answer: B

3. Which TWO vendors?content filtering databases are supported on the NetCache?

- A. SurfControl
- B. WebWasher
- C. Secure Computing
- D. TrendMicro

Answer: BC

4. Which one of the following services is not a service supported by ICAP?

- A. Virus scanning of content received through HTTP.
- B. Virus scanning of email content
- C. URL filtering
- D. Active content stripping

Answer: B

5. Network Appliance field alerts _____ and _____.

- A. are available at "www.netapp.com"

B. may be received via email

C. are available at "now.netapp.com"

D. replace autosupport

Answer: BC

6. Network Appliance maintains a record of customer product information on the NOW site and this data is _____ .

A. available to anyone with NOW access

B. only available to authorized users

C. available only during business hours

D. only available to NetApp support staff

Answer: B

7. Which one of the following NetCache appliances has a maximum storage capacity of 504G Bytes?

A. C1200

B. C2100

C. C6200

D. All the above

Answer: B

8. Which TWO of the following statements are equivalent?

A. set config.http.ports "8080" "8081"

B. set config.http.ports \ 8080

\

C. set config.http.ports // 8080 , 8081 \

D. set config.http.ports "8080 , 8081"

Answer: AB

9. Which one of the following methods can be used to manage the NetCache appliance but cannot be used to access the Command Line Interface (CLI)?

A. Console

B. Telnet

C. rsh

D. HTTP

Answer: D

10. Which command would you use to see the available option choices for the show config.http.acl command?

A. help

B. show config.http.acl.?

C. config.acl help

D. help config.acl

Answer: B

11. When configuring a NetCache as a reverse proxy, you must ____ .

A. write one or more acceleration rules

B. reconfigure the client's browser

C. write one or more ACLs

D. have an acceleration license

Answer: A

12. When configured as an accelerator, the NetCache appliance is typically located close to the ____.

A. client(s)

B. gateway

C. server

D. resolver

Answer: C

13. The traceroute command is used to ____ .

A. report interface activity in Kbps

- B. show the state of each interface
- C. print the route packets take to a network host
- D. display a list of active sockets for each protocol

Answer: C

14. You must ____ to reach the NetCache firmware prompt ("OK prompt").

- A. press Esc
- B. enter the halt command
- C. set the environment variable, floppy-boot?, to off
- D. enter the prompt command

Answer: B

15. The _____ command displays performance statistics, such as the current CPU usage, the amount of network I/O, and the amount of disk I/O.

- A. ifstat
- B. netstat
- C. stat
- D. sysstat

Answer: D

16. The NetCache appliance's clock can _____ and _____

- A. NOT be synchronized with a remote server
- B. be synchronized with NTP servers
- C. be synchronized with Windows domain controllers
- D. be synchronized with RDATE servers

Answer: BD

17. Which one is the CLI equivalent command for installing, committing, and rebooting a NetCache software image from the NetCache GUI assuming the server path is <http://10.1.1.1/nc-image.zip>?

- A. install <http://10.1.1.1/nc-image.zip>

B. download -i -c -r http://10.1.1.1/nc-image.zip

C. install -dcr http://10.1.1.1/nc-image.zip

D. download -icr http://10.1.1.1/nc-image.zip

Answer: C

18. Which one of the following access methods will maintain boot messages across reboots?

A. SSH

B. RSH

C. Telnet D. Console

Answer: D

19. The backup/restore options in the Maintenance section of the Appliance Manager are used to backup and restore _____. .

A. log files only

B. configuration files only

C. log files and configuration files

D. specified cached data

Answer: B

20. The console password can only be changed via _____. .

A. floppy disk

B. the console

C. rsh

D. the Appliance Manager

Answer: B