



# ITTEST

QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!


<http://www.ittest.es/>

**Exam:**            **NSE5\_FCT-7.0**

**Title:**            Fortinet NSE 5 - FortiClient  
EMS 7.0

**Version:**        DEMO

1.Refer to the exhibits.



Name	Assigned Groups	Profile	Policy Components	Endpoint Count	Priority	Enabled
Training	trainingAD.training.lab	PROFILE Training OFF-FABRIC Default	ON-FABRIC On-Fabric	1	1	✓
Sales	All Groups trainingAD.training.lab	PROFILE Training OFF-FABRIC Default	ON-FABRIC On-Fabric	1	2	✓
Default		PROFILE Training OFF-FABRIC Default	ON-FABRIC On-Fabric	0	3	✗


Which shows the configuration of endpoint policies.

Based on the configuration, what will happen when someone logs in with the user account student on an endpoint in the training AD domain?

- A. FortiClient EMS will assign the Sales policy
- B. FortiClient EMS will assign the Training policy
- C. FortiClient EMS will assign the Default policy
- D. FortiClient EMS will assign the Training policy for on-fabric endpoints and the Sales policy for the off-fabric endpoint

**Answer: C**

2.Refer to the exhibit.



Based on the settings shown in the exhibit, which two actions must the administrator take to make the endpoint compliant? (Choose two.)

- A. Enable the webfilter profile
- B. Integrate FortiSandbox for infected file analysis
- C. Patch applications that have vulnerability rated as high or above
- D. Run Calculator application on the endpoint

**Answer: CD**

3.An administrator has a requirement to add user authentication to the ZTNA access for remote or off-fabric users.

Which FortiGate feature is required in addition to ZTNA?

- A. FortiGate FSSO
- B. FortiGate certificates
- C. FortiGate explicit proxy
- D. FortiGate endpoint control


**Answer: C**

4.What action does FortiClient anti-exploit detection take when it detects exploits?

- A. Terminates the compromised application process
- B. Blocks memory allocation to the compromised application process
- C. Patches the compromised application process
- D. Deletes the compromised application process

**Answer: A**

5.Refer to the exhibit.



The screenshot shows a table titled 'Endpoint Policies' with the following columns: Name, Assigned Groups, Profile, Policy Components, Priority, and Enabled. There are three rows of policies: Sales, Training, and Default. The Training policy is assigned to the 'trainingAD' group and has a priority of 2, which is higher than the Default policy (priority 3). The Sales policy has a priority of 1 but is not assigned to the 'trainingAD' group. All policies have 'On-Fabric' components and are currently disabled.

Name	Assigned Groups	Profile	Policy Components	Priority	Enabled
Sales	All Groups trainingAD training.lab	PROFILE Training OFF-FABRIC Default	On-Fabric On-Fabric	1	<input type="checkbox"/>
Training	trainingAD training.lab	PROFILE Training OFF-FABRIC Default	On-Fabric On-Fabric	2	<input checked="" type="checkbox"/>
Default		PROFILE Training OFF-FABRIC Default	On-Fabric On-Fabric	3	<input type="checkbox"/>

Which shows multiple endpoint policies on FortiClient EMS.

Which policy is applied to the endpoint in the AD group training AD?

- A. The Sales policy
- B. The Training policy
- C. Both the Sales and Training policies because their priority is higher than the Default policy
- D. The Default policy because it has the highest priority

**Answer: B**