



ITTEST

QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

Exam : **NSE5_FMG-6.0**

Title : Fortinet NSE 5 -
FortiManager 6.0

Version : DEMO

- 1.Which of the following conditions trigger FortiManager to create a new revision history? (Choose two.)
- A. When configuration revision is reverted to previous revision in the revision history
 - B. When FortiManager installs device-level changes to a managed device
 - C. When FortiManager is auto-updated with configuration changes made directly on a managed device
 - D. When changes to device-level database is made on FortiManager

Answer: CD

- 2.What does the diagnose dvm check-integrity command do? (Choose two.)
- A. Internally upgrades existing ADOMs to the same ADON version in order to clean up and correct the ADOM syntax
 - B. Verifies and corrects unregistered, registered, and deleted device states
 - C. Verifies and corrects database schemas in all object tables
 - D. Verifies and corrects duplicate VDOM entries

Answer: BD

- 3.An administrator has assigned a global policy package to a new ADOM called ADOM1. What will happen if the administrator tries to create a new policy package in ADOM1?
- A. When creating a new policy package, the administrator can select the option to assign the global policy package to the new policy package
 - B. When a new policy package is created, the administrator needs to reapply the global policy package to ADOM1.
 - C. When a new policy package is created, the administrator must assign the global policy package from the global ADOM.
 - D. When the new policy package is created, FortiManager automatically assigns the global policy package to the new policy package.

Answer: D

- 4.View the following exhibit.

```
Start to import config from device(Local-FortiGate) vdom(root) to adom(My_ADOM), package(Local-Fortigate_root)
```

```
"firewall service category",SKIPPED,"(name=General,oid=697, DUPLICATE)"
```

```
"firewall address", SUCCESS,"(name=LOCAL_SUBNET,oid=684,new object)"
```

```
"firewall service custom",SUCCESS,"(name=ALL,oid=863,update previous object)"
```

```
"firewall policy",SUCCESS,"(name=1,oid-1090, new object)"
```

- Which one of the following statements is true regarding the object named ALL?
- A. FortiManager updated the object ALL using FortiGate's value in its database
 - B. FortiManager updated the object ALL using FortiManager's value in its database
 - C. FortiManager created the object ALL as a unique entity in its database, which can be only used by this managed FortiGate.
 - D. FortiManager installed the object ALL with the updated value.

Answer: A

5.View the following exhibit:

```
#diagnose fmupdate view-serverlist fds
Fortiguard Server Comm: Enabled
Server Override Mode: Loose
FDS server list :
Index Address          Port    TimeZone  Distance  Source
- - - - -
*0  10.0.1.50             8890    -5         0         CLI
1   96.45.33.89           443     -5         0         FDNI
2   96.45.32.81           443     -5         0         FDNI
....
38  fds1.fortinet.com     443     -5         0         DEFAULT
```

How will FortiManager try to get updates for antivirus and IPS?

- A. From the list of configured override servers with ability to fall back to public FDN servers
- B. From the configured override server list only
- C. From the default server fds1.fortinet.com
- D. From public FDNI server with highest index number only

Answer: A