



# **QUESTION & ANSWER**

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

http://www.ittest.es/

## Exam : PAM-CDE-RECERT

# Title:CyberArk CDERecertification

### Version : DEMO

- 1. What is the purpose of a linked account?
- A. To ensure that a particular collection of accounts all have the same password.
- B. To ensure a particular set of accounts all change at the same time.
- C. To connect the CPNI to a target system.
- D. To allow more than one account to work together as part of a password management process.

#### Answer: D

2. Which components support fault tolerance.

- A. CPM and PVWA
- B. PVWA and PSM
- C. PSM and PTA
- D. CPM and PTA
- Answer: B

3.Which statement is correct concerning accounts that are discovered, but cannot be added to the Vault by an automated onboarding rule?

- A. They are added to the Pending Accounts list and can be reviewed and manually uploaded.
- B. They cannot be onboarded to the Password Vault.
- C. They must be uploaded using third party tools.
- D. They are not part of the Discovery Process.

#### Answer: D

#### Explanation:

Reference: https://docs.cyberark.com/Product-

Doc/OnlineHelp/PrivCloud/Latest/en/Content/Privilege%20Cloud/privCloud-accounts-discovery.htm

4. What is the purpose of the Interval setting in a CPM policy?

- A. To control how often the CPM looks for System Initiated CPM work.
- B. To control how often the CPM looks for User Initiated CPM work.
- C. To control how long the CPM rests between password changes.
- D. To control the maximum amount of time the CPM will wait for a password change to complete.

Answer: A

5. It is possible to leverage DNA to provide discovery functions that are not available with auto-detection.

- A. TRUE
- B. FALS

#### Answer: A