



# ITTEST

QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

**Exam : PSE Strata**

**Title :** Palo Alto Networks System  
Engineer Professional -  
Strata

**Version : DEMO**

1.A customer with a fully licensed Palo Alto Networks firewall is concerned about threats based on domain generation algorithms (DGAS).

Which Security profile is used to configure Domain Name Security (DNS) to Identity and block previously unknown DGA-based threats in real time?

- A. URL Filtering profile
- B. WildFire Analysis profile
- C. Vulnerability Protection profile
- D. Anti-Spyware profile

**Answer: D**

2.Which two features are key in preventing unknown targeted attacks? (Choose two)

- A. nightly botnet report
- B. App-ID with the Zero Trust model
- C. WildFire Cloud threat analysis
- D. Single Pass Parallel Processing (SP3)

**Answer: B,C**

3.What is the recommended way to ensure that firewalls have the most current set of signatures for up-to-date protection?

- A. Run a Perl script to regularly check for updates and alert when one is released
- B. Monitor update announcements and manually push updates to Firewall
- C. Store updates on an intermediary server and point all the firewalls to it
- D. Use dynamic updates with the most aggressive schedule required by business needs

**Answer: D**

4.Which three actions should be taken before deploying a firewall evaluation unit in a customer environment? (Choose three.)

- A. Request that the customer make port 3978 available to allow the evaluation unit to communicate with Panorama
- B. Inform the customer that a SPAN port must be provided for the evaluation unit, assuming a TAP mode deployment.
- C. Upgrade the evaluation unit to the most current recommended firmware, unless a demo of the upgrade process is planned.
- D. Set expectations for information being presented in the Security Lifecycle Review (SLR) because personal user information will be made visible
- E. Reset the evaluation unit to factory default to ensure that data from any previous customer evaluation is removed

**Answer: B,C,E**

5.When HTTP header logging is enabled on a URL Filtering profile, which attribute-value can be logged?

- A. X-Forwarded-For
- B. HTTP method
- C. HTTP response status code
- D. Content type

**Answer: A**