



ITTEST

QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

Exam : **RCNI**

Title : RUCKUS Certified
Networking Implementer
Exam

Version : DEMO

1.ICX reserves some VLAN IDs for system functions.

How many VLAN IDs are reserved?

- A. 9
- B. 7
- C. 3
- D. 5

Answer: D

2.A Wi-Fi access point is configured for management traffic on the default VLAN and a guest SSID on VLAN 10. The access point is connected to port 1/1/10.

What is the correct configuration?

A) vlan 1

no tagged ethernet 1/1/10

!

vlan 10

untagged ethernet 1/1/10

B) vlan 1

no untagged ethernet 1/1/10

!

vlan 10

tagged ethernet 1/1/10

C) vlan 10

tagged ethernet 1/1/10

D) vlan 10

no untagged ethernet 1/1/10

A. Option A

B. Option B

C. Option C

D. Option D

Answer: B

3.Which configuration steps will add untagged ethernet ports 1/1/1 and 1/1/2 and tagged ethernet port 1/2/1 to VLAN 10?

A. untagged ethernet 1/1/1 to 1/1/2 vlan 10

tagged ethernet 1/2/1 vlan 10

B. untagged ethernet 1/1/1 to 1/1/2

tagged ethernet 1/2/1

vlan 10

C. vlan 10

no tagged ethernet 1/1/1 to 1/1/2

tagged ethernet 1/2/1

D. vlan 10

untagged ethernet 1/1/1 to 1/1/2

tagged ethernet 1/2/1

Answer: D

4. Which device will become the root in the Spanning Tree election process?

- A. the device with root guard enabled
- B. the device with the highest IP address
- C. the device with the lowest bridge ID
- D. the device with the highest bridge priority value

Answer: D

5. The root bridge is connected to another switch over two independent 10Gbe links.

Which link will remain in a forwarding state on both sides?

- A. the link with the lowest port number on the non-root switch
- B. the link with the lowest port number on the root switch
- C. the link with the highest port number on the root switch
- D. the link with the highest port number on the non-root switch

Answer: B