

ITTEST

QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

Exam : 98-380

Title : Introduction to Programming

Using Block-Based

Languages (Touch Develop)

Version: Demo

1.HOTSPOT

You are a tutor at a company college.

You write the following function to provide overall feedback based on the mark of each assignment:

```
01
    function
               feedback
       mark: Number)
02
    returns (
03
        message: String)
04
05
     do
       if mark ≥90 then
06
07
          return "Excellent!"
08
       else if 75 ≤ mark and mark < 90 then
09
          return "Very Good!"
       else if 60 < mark and mark < 75 then
10
11
          return "Good!"
12
       else
          return "Try Again!"
13
       end if
14
    end function
15
```

You need to evaluate the code.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

| Answer Area | Yes | No |
|---|---------|----|
| The function at Line #8 is equivalent to: else if not (mark < 75) and not (mark ≥ 90) then | 0 | 0 |
| The function at Line #10 is equivalent to: else if not (60 > mark or mark ≥ 75) then | 0 | 0 |
| The function will have the same behavior if the "end if" statement at Line #14 is moved to Line #12 to replace the "else" statement. Answer: | 0 | 0 |
| Answer Area | Yes | No |
| The function at Line #8 is equivalent to: else if not (mark < 75) and not (mark ≥ 90) then | 0 | 0 |
| The function at Line #10 is equivalent to: else if not (60 > mark or mark \geq 75) then | \circ | 0 |
| The function will have the same behavior if the "end if" statement at Line #14 is moved to Line #12 to replace the "else" statement. | \circ | 0 |

2.DRAG DROP

You are mentoring a group of school students who are creating games for a project. The game must display feedback as it is played, as described in the following table.

| Score | Feedback |
|--------------------|---------------------------|
| 500 or more | You are doing well |
| Between 50 and 500 | Keep playing the game |
| Below 50 | Your score is getting low |

You need to help the student group create this code.

Which three code segments should you use to develop the solution? To answer, move the appropriate code segments from the list of code segments to the answer area and arrange them in the correct order.

Segments

Answer Area (move 3 pseudocode segments)



Answer:


Segments

Answer Area (move 3 pseudocode segments)



3.DRAG DROP

Adventure Works is writing an application in TouchDevelop using a sprite named football3. You set the following variables to determine the dimensions of the board:



When the user clicks the football, it must move to a random location and bounce repeatedly off the bottom of the game board.

You need to write the code to move and bounce the football.

How should you complete the code? To answer, drag the appropriate code segments to the correct location. Each segment may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: More than one answer choice combinations is correct. You will receive credit for any of the correct combinations you select.

NOTE: Each correct selection is worth one point.


Segments Answer Area football3 --> set pos(20 + math --> random(20, T football3 --> on tap(tapped) ■width), 20 + math --> random(20, ■ height)) where tapped(x: Number, y: Number) is □ board --> set gravity(0, 50) ■board --> create boundary(0) end football3 --> set pos(20 + math --> random range(20, width), 20 + math --> random range(20, 🖪 height)) football3 --> set gravity(0, 50) board --> create boundary(bottom) Answer: Segments Answer Area football3 --> set pos(20 + math --> random(20, board --> create boundary(0) ■width), 20 + math --> random(20, ■ height)) football3 --> set gravity(0, 50) ☐board --> set gravity(0, 50) football3 --> on tap(tapped) ■board --> create boundary(0) where tapped(x: Number, y: Number) is In football 3 --> set pos(20 + math --> random range(20, football3 --> set pos(20 + math --> random(20, width), 20 + math --> random range(20, Height)) 🖪 width), 20 + math --> random(20, 🖪 height)) end football3 --> set gravity(0, 50) end ■ board --> create boundary(bottom)

4.HOTSPOT


A coin minting agency hires you to find the oldest known minted pennies. The agency has a coin machine. You need to create the algorithm to identify the oldest minted year of the pennies inserted into the machine.

How should you complete the algorithm? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area




Answer Area




5.HOTSPOT

You want to allow a user to choose a picture from his or her device.

Which library includes a function that will accomplish this goal? To answer, select the appropriate library in the answer area.



Answer:



Explanation:

References: https://www.touchdevelop.com/docs/how-to-search