



ITTEST

QUESTION & ANSWER

Guías de estudio precisos, Alta tasa de paso!



Ittest ofrece información actualizada de forma gratuita en un año!

<http://www.ittest.es/>

Exam : **JN0-634**

Title : Security, Professional
(JNCIP-SEC)

Version : DEMO

1.Which Junos security feature is used for signature-based attack prevention?

- A. RADIUS
- B. AppQoS
- C. IPS
- D. PIM

Answer: C

2.Using content filtering on an SRX Series device, which three types of HTTP content are able to be blocked? (Choose three.)

- A. PDF files
- B. ZIP files
- C. Java applets
- D. Active X
- E. Flash

Answer: B,C,D

3.After using Security Director to add a new firewall policy rule on an SRX Series device, you notice that the hit count on the policy is not increasing. Upon further investigation, you find that the devices listed in the new rule are able to communicate as expected. Your firewall policy consists of hundreds of rules. Using only Security Director, how do you find the rule that is allowing the communication to occur in this scenario?

- A. Generate a Top Firewall Rules report.
- B. Generate a Policy Analysis report.
- C. Generate a Top Source IPs report.
- D. Generate a Top Firewall Events report.

Answer: D

4.Your network includes SRX Series devices at the headquarters location. The SRX Series devices at this location are part of a high availability chassis cluster and are configured for IPS. There has been a node failover.

In this scenario, which statement is true?

- A. Existing sessions continue to be processed by IPS because of table synchronization.
- B. Existing sessions are no longer processed by IPS and become firewall sessions.
- C. Existing session continue to be processed by IPS as long as GRES is configured.
- D. Existing sessions are dropped and must be reestablished so IPS processing can occur.

Answer: A

5.You are scanning files that are being transferred from the Internet to hosts on your internal network with Sky ATP. However, you notice that files that are 1 GB in size are not being scanned by Sky ATP.

In this scenario, which two statements are true? (Choose two.)

- A. The Sky ATP failback option is set to permit.
- B. The Sky ATP engine or the SRX Series device is too busy.
- C. The 1 GB file size is larger than the scan size limit for Sky ATP.
- D. The Sky ATP policy on the SRX Series device is misconfigured.

Answer: C,D